



**HSS FULLY GROUND LONG SERIES  
DRILL. S TYP**
**BROCA HSS RECTIFICADA CILÍN-  
DRICA. SERIE LARGA. TIPO S**
**PUNTA HSS CILINDRICA LUNGA.  
TIPO S | 1/3 2/3.**


For steels < 950 N/mm<sup>2</sup>. Wide dispersal of filings.

Para aceros . Gran desalajo de viruta.

Foratura di acciai <950 N/mm<sup>2</sup>. Efficace rimozione dei trucioli.



Heat Treatable Steels <950N/mm<sup>2</sup>  
Aceros aleados y tratados < 950N/mm<sup>2</sup>  
Acciai per trattamento termico <950N/mm<sup>2</sup>



Heat Treatable Steels <1200N/mm<sup>2</sup>  
Aceros aleados y tratados < 1200N/mm<sup>2</sup>  
Acciai per trattamento termico <1200N/mm<sup>2</sup>

1140361	EAN	Ø	d2	L	I1	QTY	PCB
11403610200	3221910161231	2	2	85	56	1	10
11403610300	3221910161354	3	3	100	66	1	10
11403610320	3221910161378	3,2	3,2	106	69	1	10
11403610350	3221910161415	3,5	3,5	112	73	1	10
11403610400	3221910161477	4	4	119	78	1	10
11403610410	3221910161484	4,1	4,1	119	78	1	10
11403610420	3221910161491	4,2	4,2	119	78	1	10
11403610450	3221910161538	4,5	4,5	126	82	1	10
11403610500	3221910161590	5	5	132	87	1	10
11403610520	3221910161613	5,2	5,2	132	87	1	10
11403610550	3221910161651	5,5	5,5	139	91	1	10
11403610600	3221910161712	6	6	139	91	1	10
11403610650	3221910161774	6,5	6,5	148	97	1	10
11403610700	3221910161835	7	7	156	102	1	10
11403610800	3221910161958	8	8	165	109	1	10
11403610850	3221910162009	8,5	8,5	165	109	1	5
11403610900	3221910162061	9	9	175	115	1	5
11403611000	3221910162160	10	10	184	121	1	5



**Conditions de Coupe. Werkomstandigheden. Schnittbedingungen. Cutting conditions.**  
**Condiciones de corte. Condizioni d'impiego**

**Forets. Spiraalboren. Spiralbohrer. Drills. Brocas. Punte.**

Vc (M/min) f (mm/rt)	HSS to HSCo					CARBIDE																														
						Standard					Hight performance																									
	Vc	f:	Ø2	Ø5	Ø10	Ø15	Vc	f:	Ø2	Ø5	Ø10	Ø15	Vc	f:	Ø2	Ø5	Ø10	Ø15																		
<b>A</b>	Aciers non alliés / faiblement alliés Niet-of licht gelegeerd Staal Unligierte oder schwachlegierte unalloyed & low alloyed steels Aceros de construcción o aceros poco aleados Acciai non legati o poco legati <b>&lt;400N/mm²</b>																		<b>32</b>	f:	0,06	0,12	0,3	0,4	<b>100</b>	f:	0,03	0,05	0,08	0,12	<b>140</b>	f:	0,07	0,13	0,25	0,4
<b>B</b>	Acier pour traitement thermique Staal voor thermische behandeling Vergütungsstähle Heat Treatable Steels Aceros aleados y tratados Acciai per trattamento termico <b>&lt; 700 N/mm²</b>																		<b>28</b>	f:	0,06	0,12	0,3	0,4	<b>100</b>	f:	0,03	0,04	0,07	0,1	<b>140</b>	f:	0,06	0,12	0,25	0,4
<b>C</b>	Acier pour traitement thermique Staal voor thermische behandeling Vergütungsstähle Heat Treatable Steels Aceros aleados y tratados Acciai per trattamento termico <b>&lt; 950 N/mm²</b>																		<b>20</b>	f:	0,03	0,07	0,18	0,24	<b>80</b>	f:	0,02	0,03	0,06	0,08	<b>120</b>	f:	0,06	0,12	0,25	0,4
<b>D</b>	Acier pour traitement thermique Staal voor thermische behandeling Vergütungsstähle Heat Treatable Steels Aceros aleados y tratados Acciai per trattamento termico <b>&lt; 1200 N/mm²</b>																		<b>16</b>	f:	0,04	0,09	0,18	0,28	<b>60</b>	f:	0,02	0,03	0,06	0,08	<b>100</b>	f:	0,06	0,12	0,25	0,4
<b>E</b>	Acier pour traitement thermique Staal voor thermische behandeling Vergütungsstähle Heat Treatable Steels Aceros aleados y tratados Acciai per trattamento termico <b>&lt; 1400 N/mm²</b>																		<b>NC</b>	f:	-	-	-	-	-	f:	-	-	-	-	-	f:	-	-	-	-
<b>F</b>	Aciers inoxydables, Ferritiques Roestvrij Ferrietaal Rostfreies Stähle, Ferritisch Stainless Steels, Ferritic Aceros inoxidables, Ferriticos Acciai inossidabili, Ferritici																		<b>16</b>	f:	0,04	0,09	0,21	0,28	<b>60</b>	f:	0,01	0,05	0,08	0,1	<b>70</b>	f:	0,04	0,08	0,15	0,25
<b>G</b>	Aciers inoxydables, Martensitiques Roestvrij Martensietstaal Rostfreies Stähle, Martensitisch Stainless Steels, Martensitic Aceros inoxidables, Martensiticos Acciai inossidabili, Martensitici																		<b>14</b>	f:	0,03	0,07	0,18	0,28	<b>60</b>	f:	0,01	0,05	0,08	0,1	<b>60</b>	f:	0,03	0,06	0,13	0,2
<b>H</b>	Aciers inoxydables, Austénitiques Roestvrij Austenietstaal Rostfreies Stähle, Austenitisch Stainless Steels, Austenitic Aceros inoxidables, Austeniticos Acciai inossidabili, Austenitici																		<b>12</b>	f:	0,04	0,09	0,21	0,28	<b>40</b>	f:	0,01	0,05	0,08	0,1	<b>60</b>	f:	0,03	0,06	0,13	0,2
<b>I</b>	Fontes grises Graw gietijzer Grauguss Cast Iron Fundición gris Ghisa grigia																		<b>30</b>	f:	0,06	0,12	0,3	0,4	<b>80</b>	f:	0,01	0,05	0,08	0,1	<b>100</b>	f:	0,08	0,16	0,24	0,3

**Conditions de Coupe. Werkomstandigheden. Schnittbedingungen. Cutting conditions.**  
**Condiciones de corte. Condizioni d'impiego**

**Forets. Spiraalboren. Spiralbohrer. Drills. Brocas. Punte.**

Vc (M/min) f (mm/tr)	HSS to HSCo					CARBIDE												
	Vc	f:	Standard				Standard				Hight performance							
			Ø2	Ø5	Ø10	Ø15	Ø2	Ø5	Ø10	Ø15	Vc	f:	Ø2	Ø5	Ø10	Ø15		
<b>J</b> Fontes GS Gietijzer SG SG Guss SG Iron Fundición gris con grafito laminar Ghisa a Grafite Steroidale	<b>16</b>	f:	0,04	0,09	0,21	0,28	<b>50</b>	f:	0,01	0,05	0,08	0,1	<b>90</b>	f:	0,04	0,08	0,16	0,25
<b>K</b> Allages d'aluminium gras Zuilvere aluminiumlegeringen Reinaluminium Aluminium Forgings Aleaciones de aluminio Laminato (Al)	<b>80</b>	f:	0,05	0,1	0,24	0,32	<b>150</b>	f:	0,03	0,08	0,13	0,16	<b>400</b>	f:	0,03	0,06	0,14	0,24
<b>L</b> Allages d'aluminium Aluminiumlegeringen Aluminium-legierungen Cast Aluminium Aleaciones de aluminio Stampate Al <b>Si &lt; 10%</b>	<b>60</b>	f:	0,04	0,09	0,21	0,28	<b>150</b>	f:	0,03	0,08	0,13	0,16	<b>350</b>	f:	0,02	0,05	0,12	0,2
<b>M</b> Allages d'aluminium Aluminiumlegeringen Aluminium-legierungen Cast Aluminium Aleaciones de aluminio Stampate Al <b>Si &gt; 10%</b>	<b>40</b>	f:	0,04	0,09	0,21	0,28	<b>80</b>	f:	0,01	0,06	0,09	0,12	<b>300</b>	f:	0,02	0,05	0,12	0,2
<b>N</b> Laiton Messing Messing Brass Laton Ottone	<b>60</b>	f:	0,05	0,1	0,24	0,32	<b>100</b>	f:	0,03	0,06	0,1	0,15	<b>nc</b>	f:	nc	nc	nc	nc
<b>O</b> Bronze Brons Bronze Bronze Bronce Bronzo	<b>60</b>	f:	0,04	0,09	0,21	0,28	<b>100</b>	f:	0,02	0,05	0,09	0,12	<b>nc</b>	f:	nc	nc	nc	nc
<b>ARCO/ AR Ni</b> Aciers réfractaires base Co Ni Hittebestendige legeringen op basis van Co Ni Hitzebeständige Legierungen, Co Ni base Special Alloys based Co Ni Aleaciones refractarias, base Co Ni Leghe refrattarie, Co Ni base	<b>10</b>	f:	0,02	0,04	0,1	0,17	<b>20</b>	f:	0,01	0,03	0,05	0,08	<b>30</b>	f:	0,02	0,05	0,1	0,16
<b>Ti</b> Allages de Titane Titaanlegeringen Titanlegeringen Titan alloys Aleaciones de titanio Titanio	<b>10</b>	f:	0,02	0,04	0,1	0,17	<b>20</b>	f:	0,01	0,03	0,05	0,08	<b>30</b>	f:	0,02	0,05	0,1	0,16