

## **ESD-Chair “COMFORT CHAIR”**

(Part. No.: 1710.KS.x )

- Complies with EN 1335 and EN 61340-5-1
- 5 star base made of chromed aluminium with 5 conductive glides
- Foot ring
- Safety gas lift and extension
- Gas lift height adjustment
- Asynchronous mechanism
- Seat and dynamic backrest mechanism are individually adjustable
- Upholstered with a conductive blue or grey fabric
- Material composition:  
59% viscose, 40% wool, 1% carbon loaded nylon fibres
- Material abrasion resistance: 75.000 cycles (800g / 12 kPa)
- Conductive backrest shell with ESD-symbol
- Fabric can be cleaned with standard cleaner



### **Technical data:**

Star base diameter	Ø 73 cm
Foot ring diameter	Ø 42 cm
Foot ring height	29 cm
Seat height adjustment	670 - 810 mm
Backrest height	400 mm

### **Accessories:**

- Dissipative armrests, part no. 1700.XS
- Height reduction pipe (160 mm) for seat height adjustment 590 - 730 mm, foot ring height = 22 cm, part no. 1700.KS.2

### **Electrical properties:**

	Test standard	Typical values	Requirements
Resistance to groundable point R <sub>G</sub> (to metal plate)	EN 61340-5-1	10 <sup>5</sup> – 10 <sup>7</sup> Ω	R <sub>G</sub> ≤ 1 x 10 <sup>10</sup> Ω

► 5 years limited warranty.

The warranty does not cover the fabric, the glides and the castors.