Farve: Hvid



Fordel

- •Pålideligt og velkendt system
- •Dækker de grundlæggende behov
- •God 2-lags kvalitet



Produktspecifikation

Artikel	System	Lag	Tryk	Prægning	Farve
290264	H3 - C-fold- og ZZ-fold- system	2	Nej	Ja	Hvid

Forsendelsesdata

Forbrugerenhed

EAN	7322540176957	
Stk.	120	
Materiale	Banderole	
Højde	100 mm	
Bredde	100 mm	
Længde	248 mm	
Volumen	2.5 dm3	
Nettovægt	382 g	
Bruttovægt	389 g	

Transportenhed

EAN	7322540177008	
Stk.	2400	
Forbrugerenhede r	20	
Materiale	Carton	
Højde	262 mm	
Bredde	401 mm	
Længde	596 mm	
Volumen	62.6 dm3	
Nettovægt	7.64 kg	
Bruttovægt	8.32 kg	

Palle

EAN	7322540176995	
Stk.	67200	
Forbrugerenhede r	560	
Højde	1984 mm	
Bredde	800 mm	
Længde	1200 mm	
Volumen	1.8 m3	
Nettovægt	213.86 kg	
Bruttovægt	232.96 kg	

Miljø

Content

Recycled fibres, Chemicals

Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibresBleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye = if colouredFixing agentsFluorescent whitening agentGlue = if usedThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = EcolabelThis product does not have any ecolabel.

Date of issue 2007-11-06

Revision date 2009-07-23

Production

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.