

Tork Universal Håndklæde Rulle Soft



Fordel

- •Blød TAD-kvalitet
- Mange håndklæder pr. rulle reduceret behov for genopfyldning
- •Håndklæder på rulle uinteressante at stjæle
- •Nemt at få fat i håndklædet behageligt for brugeren



300 m









Produktspecifikation

,	Artikel	System	Rullelængde	Rullediameter	Indvendig kernediameter	Lag	Tryk	Prægning	Farve
2	290058	H1 - Håndklæderull esystem	300 m	19 cm	3.8 cm	1	Nej	Nej	Hvid

Tork Universal Håndklæde Rulle Soft

Forsendelsesdata

Forbrugerenhed

EAN	7322540542639			
Stk.	1			
Materiale	Banderole			
Højde	210 mm			
Bredde	190 mm			
Længde	190 mm			
Volumen	7.6 dm3			
Nettovægt	1638 g			
Bruttovægt	1665 g			

Transportenhed

EAN	7322540542646
Stk.	6
Forbrugerenhede r	6
Materiale	Carton
Højde	247 mm
Bredde	388 mm
Længde	588 mm
Volumen	56.4 dm3
Nettovægt	9.83 kg
Bruttovægt	10.58 kg

Palle

EAN	7322540563658		
Stk.	168		
Forbrugerenhede r	168		
Højde	1879 mm		
Bredde	800 mm		
Længde	1200 mm		
Volumen	1.6 m3		
Nettovægt	275.18 kg		
Bruttovægt	296.18 kg		



Tork Universal Håndklæde Rulle Soft

Miljø

Content

Chemical pulp

Chemicals

Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye = if coloured

Fixing agents

Fluorescent whitening agent

Glue = if used

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control



Retention aids

Broke treatment chemicals

Drainage aid

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by ISEGA. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product is certified according to FSC

Date of issue 2010-02-25

Revision date 2011-09-20

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.