

DECLARATION OF COMPLIANCE

Description	Material	Article Number
Lids	RPET (100 %)	188061

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)
- EU Regulation 282/2008 (Recycled plastic)¹

Overall migration (1)

According to the above mentioned regulations, the overall migration does not exceed 10 mg/dm² or 60 mg/kg.

Specific migration (2)

This article contains monomers or additives subject to restrictions under the plastic regulation 10/2011 and its amendments. A specific migration test proves that these are within the limits. If more information regarding the monomers or additives are needed please contact Duni Group.

Area of use

Based on the migration tests and Declaration of Compliance in Duni's possession, the articles can be used safely with all types of foodstuffs, serving cold and hot. The articles can be used for storage and temperatures up to 2 hours at 70°C.

¹ The raw material used to make the 100 % post-consumer recycled (PCR) PET is produced at a site that has applied for having an authorised recycling process as described in Regulation (EC) No 282/2008. The European Food Safety Authority (EFSA) has released a **Positive Scientific Opinion** on the process: "Therefore the Panel concluded that the recycled PET obtained from this process intended for the manufacture of materials and articles for contact with all types of foodstuffs for long term storage at room temperature, with or without hotfill is not considered of safety concern."



Test conditions

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (1) and specific migration (2) fall below the respective limits given by regulation 10/2011.

Overall migration

10 % Ethanol 4 hours at reflux temperature, total immersion 3% Acetic acid 4 hours at reflux temperature, total immersion Olive oil 2 hours at 175°C, total immersion

Specific migration

10 % Ethanol 2 hours at reflux temperature, total immersion 3% Acetic acid 2 hours at reflux temperature, total immersion Olive oil 0,5 hours 200°C, total immersion

Specific migration of metals

3% Acetic acid 4 hours at reflux temperature, total immersion

Specific migration of PAA

3% Acetic acid 4 hours at 100°C

A surface to volume ratio of $10-12 \text{ dm}^2/\text{kg}$ is used to determine compliance of the material.

No substances of dual use are present in the product.

According to the document in our possession, Primary Aromatic Amines are below 10 ppb.

Please be advised that Duni AB does not add anything into the product.

This document of compliance is based on:

- Documentation from suppliers
- Overall migration test
- Specific migration test
- EFSAs Scientific Opinion

This document was issued electronically and is therefore valid without signature.