

# SAFETY DATA SHEET

# A-Skum

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

A-Skum

Product no.

419

## ▼ Unique formula identifier (UFI)

8G1R-J328-K008-HE64

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Alkaline cleaner.

Use descriptors (UK REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 19	Hand-mixing with intimate contact and only PPE available
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

# Uses advised against

None known.

# 1.3. Details of the supplier of the safety data sheet

# Company and address

# Jysk Kemi Service A/S

Gl. Struervej 50

7500 Holstebro

Denmark

+45 9740 3133

+45 9740 4846

www.jyskkemi.dk

# Contact person

Rikke Hunskjær

E-mail

rikke@jyskkemi.dk

Revision

13/02/2024

SDS Version

3.0

# Date of previous version

18/01/2023 (2.0)

# 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

# **SECTION 2: Hazards identification**



Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# 2.1. ▼ Classification of the substance or mixture

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

## 2.2. Label elements

#### Hazard pictogram(s)



# Signal word

Warning

#### ▼ Hazard statement(s)

May cause an allergic skin reaction. (H317) Causes serious eye irritation. (H319)

#### Precautionary statement(s)

#### **▼** General

If medical advice is needed, have product container or label at hand. (P101)

#### **▼** Prevention

Avoid breathing mist/vapour. (P261)

Wear eye protection/protective gloves. (P280)

#### ▼ Response

IF ON SKIN: Wash with plenty of water/water and soap. (P302+P352) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)

#### Storage

\_

## **▼** Disposal

Dispose of contents/container in accordance with local regulation (P501)

# **▼** Hazardous substances

2-methyl-2H-isothiazol-3-one

#### Additional labelling

UFI: 8G1R-J328-K008-HE64

# ▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law 5% - 15%

- · Anionic surfactants
- < 5%
- $\cdot \, \mathsf{Amphoteric} \, \, \mathsf{surfactants} \,$
- · Preservation agent (METHYLISOTHIAZOLINONE)

# 2.3. Other hazards

# ▼ Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

## 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sodium Laureth sulfate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	[19]
Betaines, C12-14- alkyldimethyl	CAS No.: 68424-94-2 EC No.: 270-329-4 UK-REACH: Index No.:	<1%	Skin Irrit. 2, H315 Eye Dam. 1, H318	



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### **▼** Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### **▼** Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### ▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

## Burns

Not applicable.

## 4.2. ▼ Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

#### 4.3. ▼Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

# SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Not applicable.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: None

## SECTION 6: Accidental release measures

## 6.1. ▼ Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.



Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Recommended storage material

Always store in containers of the same material as the original container.

# Storage temperature

> 0°C

# Incompatible materials

Aluminium

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### **▼** DNFI

2-methyl-2H-isothiazol-3-one

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	21 μg/m³
Long term – Local effects - Workers	Inhalation	21 μg/m³
Short term – Local effects - General population	Inhalation	43 μg/m³
Short term – Local effects - Workers	Inhalation	43 μg/m³
Long term – Systemic effects - General population	Oral	27 μg/kgbw/day
Short term – Systemic effects - General population	Oral	53 µg/kgbw/day

# Sodium Laureth sulfate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 μg/cm²
Long term – Local effects - Workers	Dermal	132 μg/cm²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m³
Long term – Systemic effects - Workers	Inhalation	175 mg/m³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

# **▼** PNEC

2-methyl-2H-isothiazol-3-one



Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 μg/L
Intermittent release (freshwater)		3.39 μg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Sewage treatment plant		230 μg/L
Soil		47.1 μg/kg

#### Sodium Laureth sulfate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 μg/L
Freshwater sediment		916.8 μg/kg
Intermittent release (freshwater)		71 μg/L
Marine water		24 μg/L
Marine water sediment		91.7 μg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

## 8.2. ▼Exposure controls

Apply general control to prevent unnecessary exposure

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

# Exposure scenarios

There are no exposure scenarios implemented for this product.

# **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

# Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

## ▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

## Measures to avoid environmental exposure

No specific requirements.

# Individual protection measures, such as personal protective equipment

**Standards** 

## Generally

Use only UKCA marked protective equipment.

## Respiratory Equipment

No specific requirements

## Skin protection

No specific requirements.

# Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.22500000000000001	> 480	EN374-2, EN374-3, EN388	



## Eye protection Tyne

<b>7</b> 1	
Safety glasses with side shields.	EN166





# SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
  Physical state
     Liquid
  Colour
     Colourless
  Odour / Odour threshold
     Faint
  рН
      10,7
   ▼ Density (g/cm³)
     1.04
  Kinematic viscosity
     No data available
  Particle characteristics
     Not applicable - product is a liquid
Phase changes
  Melting point/Freezing point (°C)
     Not applicable - product is a liquid
  Softening point/range (waxes and pastes) (°C)
     Does not apply to liquids.
  Boiling point (°C)
     100
  Vapour pressure
     No data available
  Relative vapour density
     No data available
  Decomposition temperature (°C)
     No data available
Data on fire and explosion hazards
  Flash point (°C)
     No data available
  Flammability (°C)
     Testing not relevant or not possible due to the nature of the product.
  Auto-ignition temperature (°C)
     Testing not relevant or not possible due to the nature of the product.
  Lower and upper explosion limit (% v/v)
     Testing not relevant or not possible due to the nature of the product.
Solubility
  Solubility in water
     Completely soluble
  n-octanol/water coefficient (LogKow)
     Testing not relevant or not possible due to the nature of the product.
  Solubility in fat (q/L)
      Testing not relevant or not possible due to the nature of the product.
9.2. Other information
  Evaporation rate (n-butylacetate = 100)
     No data available
   ▼ Oxidizing properties
     Testing not relevant or not possible due to the nature of the product.
  Other physical and chemical parameters
      No data available.
```

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

A-Skum



No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

## 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Aluminium

## 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

## ▼ Acute toxicity

Product/substance 2-methyl-2H-isothiazol-3-one

Species: Rat Route of exposure: Oral Test: LD50

Result: 1000-2000 mg/kg ·

Product/substance 2-methyl-2H-isothiazol-3-one

Species: Rat
Route of exposure: Dermal
Test: LD50

Result:  $> 2000 \text{ mg/kg} \cdot$ 

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/irritation

Causes serious eye irritation.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### **▼** Skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

## ▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

# Other information

None known.

## SECTION 12: Ecological information



#### 12.1. ▼ Toxicity

Product/substance 2-methyl-2H-isothiazol-3-one

Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 16 mg/l·

# 12.2. ▼ Persistence and degradability

Product/substance 2-methyl-2H-isothiazol-3-one Conclusion: Readily biodegradable

## 12.3. ▼ Bioaccumulative potential

Based on available data, the classification criteria are not met.

## 12.4. Mobility in soil

No data available.

# 12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

## 12.7. Other adverse effects

None known.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## EWC code

20 01 15\* Alkalines Waste group H Waste group H

## **▼** Specific labelling

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**

	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-		-	No	See below for additional information.
IMDG	-	-		-	No	See below for additional information.
IATA	-	-		-	No	See below for additional information.

<sup>\*</sup> Packing group

# Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with

<sup>\*\*</sup> Environmental hazards



transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: None

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **▼** Restrictions for application

People under the age of 18 shall not be exposed to this product.

## Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Not applicable.

# ▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

5% - 15%

- · Anionic surfactants
- < 5%
- · Amphoteric surfactants
- · Preservation agent (METHYLISOTHIAZOLINONE)

#### Product registration number

823219

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### **▼** Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment

No

## SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

## The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 19 = Hand-mixing with intimate contact and only PPE available

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

## ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### ▼ The safety data sheet is validated by

RH

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en