

SAFETY DATA SHEET

Action Stain Remover

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Action Stain Remover

Product no.

86901

▼ **Unique formula identifier (UFI)**

SX6C-W1S7-NT0D-PMEF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Pletfjerner

Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 28	Manual maintenance (cleaning and repair) of machinery
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

▼ **Uses advised against**

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S

Gl. Struervej 50

7500 Holstebro

Denmark

+45 9740 3133

+45 9740 4846

www.jyskkemi.dk

Contact person

Rikke Hunsbjerg

E-mail

rikke@jyskkemi.dk

Revision

07/12/2023

SDS Version

2.0

Date of previous version

05/11/2021 (1.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Ox. Liq. 3; H272, May intensify fire; oxidiser.

Acute Tox. 4; H302, Harmful if swallowed.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

May intensify fire; oxidiser. (H272)

Harmful if swallowed. (H302)

Causes serious eye damage. (H318)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

Prevention

Wash hands and exposed skin thoroughly after handling. (P264)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

disodium carbonate, compound with hydrogen peroxide (2:3)

Additional labelling

UFI: SX6C-W1S7-NT0D-PMEF

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

≥ 30%

· Oxygen-based bleaching Agents

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
disodium carbonate, compound with hydrogen peroxide (2:3)	CAS No.: 15630-89-4 EC No.: 239-707-6 UK-REACH: Index No.:	80-95%	Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	
sodium carbonate	CAS No.: 497-19-8	10-15%	Eye Irrit. 2, H319	

EC No.: 207-838-8
UK-REACH:
Index No.: 011-005-00-2

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

▼ Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

▼ Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼ Ingestion

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
Rinse mouth.

Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

4.2. ▼ Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)
Some metal oxides

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.
Hazchem Code: 1Y

SECTION 6: Accidental release measures

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. ▼ Methods and material for containment and cleaning up

Use only non-sparking tools. Clean up manually and place in appropriate containers for disposal.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Powder trickling out onto the floor or onto other containers must be prevented.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

▼ Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

▼ DNEL

disodium carbonate, compound with hydrogen peroxide (2:3)

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	6.4 mg/cm ²
Long term – Local effects - Workers	Dermal	12.8 mg/cm ²
Short term – Local effects - General population	Dermal	6.4 mg/cm ²
Short term – Local effects - Workers	Dermal	12.8 mg/cm ²
Long term – Local effects - Workers	Inhalation	5 mg/m ³

sodium carbonate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	5 mg/m ³
Long term – Local effects - Workers	Inhalation	10 mg/m ³
Long term – Local effects - Workers	Inhalation	10 mg/m ³
Short term – Local effects - General population	Inhalation	10 mg/m ³

▼ PNEC

disodium carbonate, compound with hydrogen peroxide (2:3)

Route of exposure:	Duration of Exposure:	PNEC:

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Freshwater	35 µg/L
Intermittent release (freshwater)	35 µg/L
Marine water	35 µg/L
Sewage treatment plant	16.24 mg/L

8.2. ▼ Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

▼ Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Ensure that eyewash stations and safety showers are located within easy reach.

Airborne gas and dust concentrations must be kept at a minimum. Provide efficient mechanical ventilation. If not possible use suitable respiratory equipment.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

▼ Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

▼ Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0,5	> 480	EN374-2, EN374-3, EN388



Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

▼ Physical state

Powder

Colour

White

Odour / Odour threshold

None

pH

10,6

▼ pH in solution

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

10 g/l (%)

▼ Density (g/cm³)

2,01-2,16

▼ Bulk density (kg/m³)

900-1200

▼ Kinematic viscosity

No data available

▼ Particle characteristics

No data available

Phase changes

▼ Melting point/Freezing point (°C)

No data available

▼ Softening point/range (waxes and pastes) (°C)

Does not apply to solids.

▼ Boiling point (°C)

Not applicable - product is a solid

▼ Vapour pressure

Not applicable - product is a solid

▼ Relative vapour density

Does not apply to solids.

▼ Decomposition temperature (°C)

> 65

Data on fire and explosion hazards

▼ Flash point (°C)

No data available

▼ Flammability (°C)

No data available

▼ Auto-ignition temperature (°C)

No data available

▼ Lower and upper explosion limit (% v/v)

No data available

Solubility

▼ Solubility in water

Completely soluble (140 g/l)

▼ n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

▼ Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

▼ Evaporation rate (n-butylacetate = 100)

Not applicable - product is a solid

▼ Oxidizing properties

May intensify fire; oxidiser.

▼ Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. ▼ Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. ▼ Possibility of hazardous reactions

None known.

10.4. ▼ Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

▼ Acute toxicity

Product/substance	disodium carbonate, compound with hydrogen peroxide (2:3)
Species:	Rat, male/female
Route of exposure:	Oral
Test:	LD50
Result:	1034 mg/kg

Product/substance	disodium carbonate, compound with hydrogen peroxide (2:3)
Test method:	OECD 402
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	sodium carbonate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2.800 mg/kg

Product/substance	sodium carbonate
Test method:	OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (2 hours)
Result:	2,3 mg/L

Product/substance	sodium carbonate
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	> 2000 mg/kgbw

Harmful if swallowed.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

▼ Skin sensitisation

Product/substance	disodium carbonate, compound with hydrogen peroxide (2:3)
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

▼ Carcinogenicity

Product/substance	disodium carbonate, compound with hydrogen peroxide (2:3)
Conclusion:	No adverse effect observed

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

▼ Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

▼ Endocrine disrupting properties

Product/substance disodium carbonate, compound with hydrogen peroxide (2:3)
 Conclusion: No adverse effect observed

▼ Other information

None known.

SECTION 12: Ecological information

12.1. ▼ Toxicity

Product/substance disodium carbonate, compound with hydrogen peroxide (2:3)
 Species: Fish, Pimephales promelas
 Duration: 96 hours
 Test: LC50
 Result: 70,7 mg/L

Product/substance disodium carbonate, compound with hydrogen peroxide (2:3)
 Species: Daphnia, Daphnia pulex
 Duration: 48 hours
 Test: EC50
 Result: 4,9 mg/L

Product/substance disodium carbonate, compound with hydrogen peroxide (2:3)
 Test method: OECD 209
 Species: Algae
 Duration: 30 min
 Test: EC50
 Result: 466 mg/L

Product/substance sodium carbonate
 Species: Fish, Lepomis macrochirus
 Duration: 96 hours
 Test: EC50
 Result: 300 mg/L

Product/substance sodium carbonate
 Species: Daphnia
 Compartment: Freshwater sediment
 Duration: 48 hours
 Result: 200-227 mg/L

12.2. ▼ Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼ Bioaccumulative potential

Product/substance disodium carbonate, compound with hydrogen peroxide (2:3)
 Potential bioaccumulation: No
 LogKow: -1,57
 BCF: No data available.

Product/substance sodium carbonate
 Potential bioaccumulation: No
 LogKow: No data available.
 BCF: No data available.

12.4. ▼ Mobility in soil

No data available.

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. ▼ Other adverse effects

None known.

SECTION 13: Disposal considerations

▼ Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 2 – Oxidising

HP 4 - Irritant (skin irritation and eye damage)

HP 6 - Acute toxicity

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

▼ EWC code




Not applicable.

▼ Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3378	SODIUM CARBONATE PEROXYHYDRATE	Transport hazard class: 5.1 Label: 5.1 Classification code: O2 	III	No	Limited quantities: 5 kg Tunnel restriction code: (E) See below for additional information.
IMDG	UN3378	SODIUM CARBONATE PEROXYHYDRATE	Transport hazard class: 5.1 Label: 5.1 Classification code: O2 	III	No	Limited quantities: 5 kg EmS: F-A S-Q See below for additional information.
IATA	UN3378	SODIUM CARBONATE PEROXYHYDRATE	Transport hazard class: 5.1 Label: 5.1 Classification code: O2 	III	No	See below for additional information.

* Packing group

** Environmental hazards

▼ Additional information

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

-

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 1Y

14.6. ▼ Special precautions for user

Not applicable.

14.7. ▼ Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application

No special.

▼ Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

P8 - OXIDISING LIQUIDS AND SOLIDS, Qualifying quantity (lower-tier): 50 tonnes / (upper-tier): 200 tonnes

▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

≥ 30%

· Oxygen-based bleaching Agents

Additional information

Tactile warning.

▼ Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H272, May intensify fire; oxidiser.

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 19 = Hand-mixing with intimate contact and only PPE available

PROC 28 = Manual maintenance (cleaning and repair) of machinery

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

▼ **Additional information**

The classification of the substance/mixture in regard to health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the mixture in regard to physical hazards has been based on experimental data.

▼ **The safety data sheet is validated by**

RH

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en