

## SAFETY DATA SHEET

# Allround

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name

Allround

Product no.

1801

▼ Unique formula identifier (UFI)

7GS2-2HG3-200M-JJD6

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
  - ▼ Relevant identified uses of the substance or mixture

**Daily Cleaning** 

Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
PROC 28	Manual maintenance (cleaning and repair) of machinery
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

## **▼** EuPCS

PC-CLN / Cleaning, care and maintenance products (excludes biocidal products)

## **▼** Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

# Company and address

## Jysk Kemi Service A/S

Gl. Struervej 50

7500 Holstebro

Denmark

+45 9740 3133

+45 9740 4846

www.jyskkemi.dk

# Contact person

Rikke Hunskjær

## E-mail

rikke@jyskkemi.dk

### Revision

13/10/2023

#### **SDS Version**

2 0

## Date of previous version

03/05/2021 (1.0)



### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

## 2.2. Label elements

## Hazard pictogram(s)



## Signal word

. Warning

### ▼ Hazard statement(s)

Causes serious eye irritation. (H319)

## Precautionary statement(s)

### **▼** General

If medical advice is needed, have product container or label at hand. (P101)

#### **▼** Prevention

Wash hands thoroughly after handling. (P264)

Wear eye protection/face protection/protective gloves. (P280)

## ▼ Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

## Storage

.

# Disposal

## ▼ Hazardous substances

None known.

### **▼** Additional labelling

EUH208, Contains cineol. May produce an allergic reaction.

UFI: 7GS2-2HG3-200M-JD6

#### 2.3. Other hazards

## **▼** Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

# 3.1. ▼ Substances

Not applicable. This product is a mixture.

## 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
propan-2-ol	CAS No.: 67-63-0 EC No.: 200-661-7 UK-REACH: Index No.: 603-117-00-0	5-10%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Sodium Laureth sulfate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	[19]
cineol	CAS No.: 470-82-6	<0.25%	Flam. Liq. 3, H226	



EC No.: 207-431-5 UK-REACH: Index No.: Skin Sens. 1B, H317

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### **▼** Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

## **▼** Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

# **▼** Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

## **▼**Burns

Not applicable.

# 4.2. ▼ Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

## 4.3. ▼ Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

### Information to medics

Bring this safety data sheet or the label from this product.

#### SECTION 5: Firefighting measures

## 5.1. ▼ Extinguishing media

Not applicable.

## 5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.



#### SECTION 6: Accidental release measures

#### 6.1. ▼ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. ▼ Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## ▼ Recommended storage material

Keep only in original packaging.

### Storage temperature

> 0°C

### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# SECTION 8: Exposure controls/personal protection

### 8.1. ▼ Control parameters

propan-2-ol

Long term exposure limit (8 hours) (ppm): 400

Long term exposure limit (8 hours) (mg/m³): 999

Short term exposure limit (15 minutes) (ppm): 500

Short term exposure limit (15 minutes) (mg/m³): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

### **▼** DNEL

## 2-phenoxyethanol

2-prierioxyetriarioi		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10.42 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	20.83 mg/kg bw/day
Long term – Local effects - General population	Inhalation	2.41 mg/m³
Long term – Local effects - Workers	Inhalation	5.7 mg/m³
Long term – Systemic effects - General population	Inhalation	2.41 mg/m³
Long term – Systemic effects - Workers	Inhalation	5.7 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	9.23 mg/kg bw/day

Short term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
cineol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.74 mg/m³
Long term – Systemic effects - Workers	Inhalation	7.05 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	600 mg/kg bw/day
propan-2-ol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day
Sodium Laureth sulfate		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 μg/cm²
Long term – Local effects - Workers	Dermal	132 μg/cm²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/da
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/da
Long term – Systemic effects - General population	Inhalation	52 mg/m³
Long term – Systemic effects - Workers	Inhalation	175 mg/m³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day
PNEC		
2-phenoxyethanol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		943 μg/L
Freshwater sediment		7.237 mg/kg
Treshwater seament		2.44 ()
		3.44 mg/L
Intermittent release (freshwater)  Marine water		3.44 mg/L 94.3 μg/L
Intermittent release (freshwater)		
Intermittent release (freshwater)  Marine water		94.3 μg/L

## cineol

enco		
Route of exposure:	<b>Duration of Exposure:</b>	PNEC:
Freshwater		57 μg/L
Freshwater sediment		1.425 mg/kg
Intermittent release (freshwater)		570 μg/L
Marine water		5.7 μg/L
Marine water sediment		142.5 μg/kg
Predators		40 mg/kg

Allround Page 5 of 12

Sewage treatment plant		10 mg/L
Soil		250 μg/kg
propan-2-ol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg
Sodium Laureth sulfate		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 μg/L
Freshwater sediment		916.8 μg/kg
Intermittent release (freshwater)		71 μg/L
Marine water		24 μg/L
Marine water sediment		91.7 μg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# ▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

# Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

## ▼ Measures to avoid environmental exposure

No specific requirements.

# Individual protection measures, such as personal protective equipment

## **▼** Generally

Use only UKCA marked protective equipment.

## **Respiratory Equipment**

No specific requirements

### **▼** Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

## **▼** Hand protection

Allround Page 6 of 12

		Breakthrough time (min.)	Standards	
Nitrile - Discard 0.2 immediately after use	2	> 240	EN374-2, EN374-3, EN388	

#### Eye protection

Type Standards

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

Characteristic

На

6-8

**▼** pH in solution

6-8 (%)

▼ Density (g/cm³)

1.01

**▼** Kinematic viscosity

No data available

**▼** Particle characteristics

Not applicable - product is a liquid

#### Phase changes

▼ Melting point/Freezing point (°C)

Not applicable - product is a liquid

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

**▼** Boiling point (°C)

100

▼ Vapour pressure

No data available

▼ Relative vapour density

No data available

▼ Decomposition temperature (°C)

No data available

### Data on fire and explosion hazards

▼ Flash point (°C)

No data available

▼ Flammability (°C)

The material is not combustible.

▼ Auto-ignition temperature (°C)

No data available

▼ Lower and upper explosion limit (% v/v)

Not applicable

## Solubility

▼ Solubility in water

Completely soluble

▼ n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

▼ Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

## 9.2. Other information





▼ Evaporation rate (n-butylacetate = 100)

No data available

**▼** Oxidizing properties

Not applicable

**▼** Other physical and chemical parameters

No data available.

#### SECTION 10: Stability and reactivity

## 10.1. ▼ Reactivity

No data available.

## 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

## 10.3. ▼ Possibility of hazardous reactions

None known.

#### 10.4. ▼ Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### ▼ Acute toxicity

Product/substance propan-2-ol Species: Rat Route of exposure: Oral Test: LD50

Result: 5.280 mg/kg ·

Product/substance propan-2-ol Species: Rat Route of exposure: Inhalation Test: LC50 Result: 72,6 mg/l 4 h ·

Product/substance propan-2-ol Species: Rabbit Route of exposure: Dermal Test: LC50

Result: 12.800 mg/kg ·

Product/substance 2-phenoxyethanol

Test method: **OECD 402** Species: Rabbit Route of exposure: Dermal Test: LD50 Result: > 2000 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Causes serious eye irritation.

#### ▼ Respiratory sensitisation


Product/substance 2-phenoxyethanol

Result: No adverse effect observed (not sensitising)

## **▼** Skin sensitisation

Product/substance 2-phenoxyethanol

Result: No adverse effect observed (not sensitising)





▼ Germ cell mutagenicity

Product/substance 2-phenoxyethanol

Conclusion: No adverse effect observed

**▼** Carcinogenicity

Product/substance 2-phenoxyethanol

Conclusion: No adverse effect observed

**▼** Reproductive toxicity

Product/substance 2-phenoxyethanol

Conclusion: No adverse effect observed

▼ STOT-single exposure

Product/substance 2-phenoxyethanol Route of exposure: Inhalation

Conclusion: Adverse effect observed

▼ STOT-repeated exposure

Product/substance 2-phenoxyethanol

Conclusion: No adverse effect observed

▼ Aspiration hazard

Product/substance 2-phenoxyethanol

Kin. viscocity (mm<sup>2</sup>/s): 19,38

Conclusion: Aspiration hazard not applicable

### 11.2. Information on other hazards

### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

▼ Endocrine disrupting properties

Product/substance 2-phenoxyethanol

Other information

propan-2-ol has been classified by IARC as a group 3 carcinogen.

## SECTION 12: Ecological information

## 12.1. ▼ Toxicity

Product/substance propan-2-ol Species: Fish Duration: 7 days Test: LC50 Result: 9.640 mg/l·

Product/substance propan-2-ol Species: Daphnia Duration: 48 hours Test: EC50 Result: 13.299 mg/l·

Product/substance 2-phenoxyethanol
Test method: OECD 202
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: > 100 mg/l·

Product/substance 2-phenoxyethanol

Test method: OECD 201

Species: Algae, Desmodesmus subspicatus

Duration: 72 hours
Test: EC50
Result: >100 mg/L

Product/substance 2-phenoxyethanol

Test method: OECD 203



Species: Fish, Pimephales promelas

Duration: 96 hours
Test: LC50
Result: 344 mg/L

Product/substance 2-phenoxyethanol

Species: Fish, Pimephales promelas

Test: NOEC Result: 23 mg/L

Product/substance 2-phenoxyethanol Species: Daphnia, Daphnia magna

Duration: 21 days
Test: NOEC
Result: 9,43 mg/L

Product/substance 2-phenoxyethanol Compartment: Sewage treatment plant

Duration: 17 hours
Test: EC10
Result: 320 mg/L

## 12.2. ▼ Persistence and degradability

Product/substance propan-2-ol Biodegradable: Yes Test method: OECD 301 E Result: 95%

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## 12.3. ▼ Bioaccumulative potential

Product/substance 2-phenoxyethanol

Test method: OECD 305

Potential bioaccumulation: No

LogPow: No data available.

BCF: -0,35

## 12.4. ▼ Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. ▼ Other adverse effects

None known.

# SECTION 13: Disposal considerations

## **▼** Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## **▼** EWC code

Not applicable.

# **▼** Specific labelling

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

**▼** Additional information

Not dangerous goods according to ADR, IATA and IMDG.

# 14.6. ▼Special precautions for user

Not applicable.

### 14.7. ▼ Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**▼** Restrictions for application

No special.

▼ Demands for specific education

No specific requirements.

▼ SEVESO - Categories / dangerous substances

Not applicable.

▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

- < 5%
- · Anionic surfactants
- · Non-ionic surfactants
- · Perfumes
- · Preservation agent (PHENOXYETHANOL)

## **▼** Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## **▼** Sources

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment

No

## SECTION 16: Other information

# ▼ Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H226, Flammable liquid and vapour.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H336, May cause drowsiness or dizziness.

H412, Harmful to aquatic life with long lasting effects.

## The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

<sup>\*\*</sup> Environmental hazards



PROC 19 = Hand-mixing with intimate contact and only PPE available

PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 28 = Manual maintenance (cleaning and repair) of machinery

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

### ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **▼** Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# ▼ The safety data sheet is validated by

RH

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en