

SAFETY DATA SHEET

# Alrens, uden parfume

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Alrens, uden parfume

Product no.

808

Unique formula identifier (UFI) 54S6-R748-T00Q-RPNR

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture **Daily Cleaning** 

#### Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 28	Manual maintenance (cleaning and repair) of machinery
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non- dedicated facilities
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems
ERC 8b	Wide dispersive indoor use of reactive substances in open systems
lease advised assignt	

▼ Uses advised against None known.

# 1.3. Details of the supplier of the safety data sheet

Company and address Jysk Kemi Service A/S Gl. Struervej 50 7500 Holstebro Denmark +45 9740 3133 +45 9740 4846 www.jyskkemi.dk Contact person Rikke Hunskjær E-mail rikke@jyskkemi.dk Revision 10/08/2023 SDS Version 2.0 Date of previous version 20/06/2022 (1.0) 1.4. Emergency telephone number



Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# 2.1. Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.

# 2.2. Label elements

Hazard pictogram(s)



Signal word

# Danger

Hazard statement(s)

Causes serious eye damage. (H318)

# Precautionary statement(s)

#### General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

# Prevention

Wear eye protection/face protection/protective gloves. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

#### -

Disposal

#### Hazardous substances

2-Propylheptanol ethoxylate

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

- Additional labelling
  - UFI: 54S6-R748-T00Q-RPNR

#### 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### SECTION 3: Composition/information on ingredients

#### 3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures				
Product/substance	Identifiers	% w/w	Classification	Note
2-Propylheptanol ethoxylate	CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.:	5-10%	Acute Tox. 4, H302 Eye Dam. 1, H318	
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N- dimethyl-, N-C8-18(even numbered) acyl derivs.,	CAS No.: 97862-59-4 EC No.: 931-296-8 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318 Aquatic Chronic 3, H412	



hydroxides, inner salts

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### ▼ Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

5% - 15%

 $\cdot$  Non-ionic surfactants

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### ▼ Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### ▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

### ▼ Burns

Not applicable.

#### 4.2. ▼ Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

# 5.1. ▼ Extinguishing media

# Not applicable.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures



Avoid direct contact with spilled substances. Contaminated areas may be slippery.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

# 6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

▼ Recommended storage material

Keep only in original packaging. Storage temperature

# > 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### **V**DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	7.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	12.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	13.04 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	44 mg/m³
Long term – Systemic effects - General population	Oral	7.5 mg/kg bw/day

#### ▼ PNEC

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		13.5 µg/L
Freshwater sediment		11.1 mg/kg
Marine water		1.35 µg/L
Marine water sediment		1.11 mg/kg
Sewage treatment plant		3 g/L
Soil		850 µg/kg

#### 8.2. ▼ Exposure controls

Control is unnecessary if the product is used as intended.



Smoking, drinking and consumption of food is not allowed in the work         Exposure scenarios         There are no exposure scenarios implemented for this product.         Exposure limits         Occupational exposure limits have not been defined for the substance         Appropriate technical measures         Ensure that eyewash stations and safety showers are located within ea         Apply standard precautions during use of the product. Avoid inhalation         Hygiene measures         In between use of the product and at the end of the working day all ex         thoroughly. Always wash hands, forearms and face.         ✓ Measures to avoid environmental exposure         No specific requirements.         lividual protection measures, such as personal protective equipment         Generally         Use only UKCA marked protective equipment.         Respiratory Equipment         No specific requirements         Skin protection         Recommended         Type/Category       Standards         No special when used -       -         as intended.       -         Hand protection       Breakthrough time (min.)         Vinyl/PVC       -       > 480         Nitrile       0.09       -	s in this product. sy reach. n of vapours.
There are no exposure scenarios implemented for this product.         Exposure limits         Occupational exposure limits have not been defined for the substance         Appropriate technical measures         Ensure that eyewash stations and safety showers are located within each apply standard precautions during use of the product. Avoid inhalation         Hygiene measures         In between use of the product and at the end of the working day all exithoroughly. Always wash hands, forearms and face.         ✓ Measures to avoid environmental exposure         No specific requirements.         widual protection measures, such as personal protective equipment         Generally         Use only UKCA marked protective equipment.         Respiratory Equipment         No specific requirements         Skin protection         Recommended       Type/Category         Standards         No special when used - as intended.         Hand protection         Material       Glove thickness (mm)         Breakthrough time (min.)         Vinyl/PVC       > 480	sy reach. n of vapours.
Exposure limits       Occupational exposure limits have not been defined for the substance         Appropriate technical measures       Ensure that eyewash stations and safety showers are located within each apply standard precautions during use of the product. Avoid inhalation         Hygiene measures       In between use of the product and at the end of the working day all exithoroughly. Always wash hands, forearms and face.         ✓ Measures to avoid environmental exposure       No specific requirements.         ividual protection measures, such as personal protective equipment         Generally       Use only UKCA marked protective equipment.         Respiratory Equipment       No specific requirements         No special when used as intended.       Type/Category       Standards         Hand protection       Glove thickness (mm)       Breakthrough time (min.)         Vinyl/PVC       > 480	sy reach. n of vapours.
Appropriate technical measures         Ensure that eyewash stations and safety showers are located within each apply standard precautions during use of the product. Avoid inhalation         Hygiene measures         In between use of the product and at the end of the working day all exit thoroughly. Always wash hands, forearms and face.         Measures to avoid environmental exposure         No specific requirements.         ividual protection measures, such as personal protective equipment         Generally         Use only UKCA marked protective equipment.         Respiratory Equipment         No specific requirements         Skin protection         Recommended       Type/Category         Standards         No special when used as intended.         Hand protection         Material       Glove thickness (mm)         Breakthrough time (min.)         Vinyl/PVC       -	sy reach. n of vapours.
Ensure that eyewash stations and safety showers are located within ea         Apply standard precautions during use of the product. Avoid inhalation         Hygiene measures         In between use of the product and at the end of the working day all ex         thoroughly. Always wash hands, forearms and face.         Measures to avoid environmental exposure         No specific requirements.         ividual protection measures, such as personal protective equipment         Generally         Use only UKCA marked protective equipment.         Respiratory Equipment         No specific requirements         Skin protection         Recommended       Type/Category         Standards         No special when used as intended.       -         Hand protection       -         Vinyl/PVC       -         Vinyl/PVC       > 480	of vapours.
Apply standard precautions during use of the product. Avoid inhalation         Hygiene measures         In between use of the product and at the end of the working day all exithoroughly. Always wash hands, forearms and face.         ✓ Measures to avoid environmental exposure         No specific requirements.         ividual protection measures, such as personal protective equipment         Generally         Use only UKCA marked protective equipment.         Respiratory Equipment         No specific requirements         Skin protection         Recommended       Type/Category         Standards         No special when used as intended.         Hand protection         Vinyl/PVC       -         Vinyl/PVC       > 480	of vapours.
In between use of the product and at the end of the working day all extension the theorem of the product and at the end of the working day all extension the theorem of theorem of the theorem of the	posed areas of the body must be washed
Measures to avoid environmental exposure No specific requirements. lividual protection measures, such as personal protective equipment Generally Use only UKCA marked protective equipment. Respiratory Equipment No specific requirements Skin protection            Recommended Type/Category Standards No special when used - as intended.            Material         Glove thickness (mm) Breakthrough time (min.)            Vinyl/PVC         -	
Generally Use only UKCA marked protective equipment.         Respiratory Equipment No specific requirements         Skin protection         Recommended       Type/Category         Standards         No special when used as intended.       -         Hand protection         Material       Glove thickness (mm)       Breakthrough time (min.)         Vinyl/PVC       -       > 480	
Use only UKCA marked protective equipment. Respiratory Equipment No specific requirements Skin protection           Recommended         Type/Category         Standards           No special when used as intended.         -         -           Hand protection         -         -           Waterial         Glove thickness (mm)         Breakthrough time (min.)           Vinyl/PVC         -         > 480	
Respiratory Equipment No specific requirements         Recommended       Type/Category       Standards         No special when used as intended.       -       -         Hand protection       -       -         Material       Glove thickness (mm)       Breakthrough time (min.)         Vinyl/PVC       -       > 480	
No specific requirements         Recommended       Type/Category       Standards         No special when used as intended.       -       -         Hand protection       -       -         Material       Glove thickness (mm)       Breakthrough time (min.)         Vinyl/PVC       -       > 480	
RecommendedType/CategoryStandardsNo special when used as intendedHand protectionMaterialGlove thickness (mm)Breakthrough time (min.)Vinyl/PVC-> 480	
No special when used as intended.     -       Hand protection     Breakthrough time (min.)       Vinyl/PVC     -     > 480	
as intended. Hand protection Material Glove thickness (mm) Breakthrough time (min.) Vinyl/PVC - > 480	
MaterialGlove thickness (mm)Breakthrough time (min.)Vinyl/PVC-> 480	
(min.) Vinyl/PVC - > 480	
	Standards
Nitrile 0.09 -	EN374-3, EN388
	EN374-2
Latex 0.12 -	EN374-2
Eye protection	
Type Standards	
CTION 9: Physical and chemical properties	

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour Clear Odour / Odour threshold None pH 10,5 pH in solution 8,5 (1%) Density (g/cm<sup>3</sup>) 1.05 Kinematic viscosity No data available



```
Particle characteristics
     Testing not relevant or not possible due to nature of the product.
Phase changes
   ▼ Melting point/Freezing point (°C)
      Not applicable - product is a liquid
  Softening point/range (waxes and pastes) (°C)
      Does not apply to liquids.
  Boiling point (°C)
     100
  Vapour pressure
     No data available
  Relative vapour density
     No data available
  Decomposition temperature (°C)
     Testing not relevant or not possible due to nature of the product.
Data on fire and explosion hazards
   ▼ Flash point (°C)
      Not applicable - flash point > 200°C
   ▼ Flammability (°C)
     The material is not combustible.
   ▼ Auto-ignition temperature (°C)
     Testing not relevant or not possible due to the nature of the product.
   ▼ Lower and upper explosion limit (% v/v)
     Testing not relevant or not possible due to the nature of the product.
Solubility
  Solubility in water
     Completely soluble
   ▼ n-octanol/water coefficient
     Testing not relevant or not possible due to the nature of the product.
   ▼ Solubility in fat (g/L)
      Testing not relevant or not possible due to the nature of the product.
9.2. Other information
  Evaporation rate (n-butylacetate = 100)
     No data available

    Oxidizing properties

     Testing not relevant or not possible due to the nature of the product.
   Other physical and chemical parameters
      No data available.
SECTION 10: Stability and reactivity
10.1. ▼ Reactivity
  No data available.
10.2. Chemical stability
  The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. ▼ Possibility of hazardous reactions
  None known.
10.4. ▼ Conditions to avoid
  None known
10.5. Incompatible materials
  Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decomposition products
  The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information
```

 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law
 ▼ Acute toxicity Product/substance 2-Propylheptanol ethoxylate

Alrens, uden parfume



Species:	Rat
Route of exposure:	Oral
Test: Result:	LD50 300-2000 mg/kg ·
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Rat
Route of exposure: Test:	Oral LD50
Result:	2335 mg/kg
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 2000 mg/kg
Skin corrosion/irritation	
	a, the classification criteria are not met.
Serious eye damage/irrita	
Causes serious eye dan	hage.
Respiratory sensitisation	the electification evitoria and not
	a, the classification criteria are not met.
Skin sensitisation	the electification criteria are not mot
	a, the classification criteria are not met.
	a, the classification criteria are not met.
Carcinogenicity Based on available data	a, the classification criteria are not met.
Reproductive toxicity	a, the classification criteria are not met.
STOT-single exposure	
Based on available data	a, the classification criteria are not met.
STOT-repeated exposure Based on available data	a, the classification criteria are not met.
Aspiration hazard	
	a, the classification criteria are not met.
11.2. Information on othe	r hazards
Long term effects	
	ubstances that cause serious eye damage. Contact with these substances can cause irreversible
effects on the eye / seri	, ,
▼ Endocrine disrupting pr	operties
Not applicable. ▼ Other information	
None known.	
None known.	
SECTION 12: Ecological in	formation
12.1. ▼Toxicity	
Product/substance	2-Propylheptanol ethoxylate
Species: Duration:	Fish 7 days
Test:	LC50
Result:	10-100 mg/l ·

Product/substance Species: Duration: Test:	2-Propylheptanol ethoxylate Daphnia 48 hours EC50
Result:	10-100 mg/l·



arboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs
considered to meet the criteria classifying them as PBT and

-

-

-

IMDG

-

-

-



	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ATA	-	-	-	-	-	-
* Enviro Additio Not 14.6. ▼ Not 14.7. ▼	nal infor dangero Special applicab	ous goods according to ADR, IAT precautions for user le. le transport in bulk according to				
SECTIO	ON 15: R	egulatory information				
▼ Re N ▼ De N ▼ SE Addii T R d V So T R R R R R R R (I	estriction No specia emands No specif EVESO - C Not appli itional in The surfa Regulatio neld at th direct rec Durces The Mana Regulatio Regulatio Regulatio Regulatio Regulatio REACH) a	as for application al. for specific education fic requirements. Categories / dangerous substance cable. formation ictant(s) contained in this prepar- in (EC) No 648/2004 on deterger the disposal of the competent aut quest or at the request of a deter agement of Health and Safety at on (EC) No 648/2004 on deterger on (EC) No 1257/2014 of 18 Dece on (EC) No 1272/2008 on classific and amended in UK law.	ration complies(comply) with the l ots as retained and amended in U chorities of the Member States an rgent manufacturer. Work Regulations 1999. Its as retained and amended in U mber 2014 on waste as retained ation, labelling and packaging of g the Registration, Evaluation, Aut	biodegradability K law. Data to su d will be made a K law. and amended in substances and	criteria a pport thi vailable t UK law. mixtures	s assertion ar o them, at the (CLP) as
SECTIO	ON 16: O	ther information				
H302 H312 H412 The full LCS LCS PRO	2, Harmf 8, Cause 2, Harmf l text of i	nrases as mentioned in section a ful if swallowed. s serious eye damage. ful to aquatic life with long lastir identified uses as mentioned in nsumer uses: Private household	ıg effects.			rmon)

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

# Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# ▼ The safety data sheet is validated by

RH Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en