

SAFETY DATA SHEET

Arco Plus

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name Arco Plus Product no. 398 Unique formula identifier (UFI)

J37J-43W7-200H-R5VK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Sten- og træopfrisker.

Use descriptors (UK REACH)

Use descriptors (UK REA	(CH)
Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 28	Manual maintenance (cleaning and repair) of machinery
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non- dedicated facilities
Environmental release category	Description
ERC 8d	Wide dispersive outdoor use of processing aids in open systems
Jses advised against None known. Details of the supplier Company and address Jysk Kemi Service A/ Gl. Struervej 50 7500 Holstebro Denmark +45 9740 3133 +45 9740 4846 www.jyskkemi.dk	of the safety data sheet /S
Contact person Rikke Hunskjær	

1.3. D

Co Co E-n rikke@jyskkemi.dk Revision 10/07/2023 **SDS Version** 2.0 Date of previous version 17/01/2023 (1.0) 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).



See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. ▼ Classification of the substance or mixture

Skin Corr. 1B; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage. Aquatic Acute 1; H400, Very toxic to aquatic life.

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2. Label elements

▼Hazard pictogram(s)



Signal word Danger

▼ Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Very toxic to aquatic life with long lasting effects. (H410)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)

Prevention

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

▼ Storage

▼ Disposal

Dispose of contents/container in accordance with in accordance with local regulation (P501)

Hazardous substances

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Additional labelling

UFI: J37J-43W7-200H-R5VK

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	CAS No.: 68424-85-1 EC No.: 270-325-2 UK-REACH: Index No.:	15-25%	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	[19]



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law 15% - 30%

· Cationic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

▼ Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: 2X



SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.
- 6.2. ▼ Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. ▼ Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

- Storage temperature
 - > 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

▼ DNEL

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides **Duration: Route of exposure:** DNEL: Long term - Systemic effects - General population Dermal 3.4 mg/kg bw/day Long term - Systemic effects - Workers Dermal 5.7 mg/kg bw/day Long term - Systemic effects - General population Inhalation 1.64 mg/m³ Long term - Systemic effects - Workers Inhalation 3.96 mg/m³ Long term – Systemic effects - General population Oral 3.4 mg/kg bw/day

▼ PNEC

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	F • • • • •	420 ng/L
Freshwater sediment		68 mg/kg
Intermittent release (freshwater)		160 ng/L
Intermittent release (marine water)		207 ng/L
Marine water		96 ng/L



Marine water sediment	15.75 mg/kg
Sewage treatment plant	160 μg/L
Soil	1.66 mg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation	-	-	-

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn	-	-	P

▼ Hand protection

Material	Glove thickness (mr	n) Breakthrough time (min.)	Standards	
Vinyl/PVC	-	> 480	EN374-3, EN388	
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388	

Eye protection

Туре	Standards	
Safety glasses with side shields.	e EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid Colour



Colourless Odour / Odour threshold Faint рΗ 9 Density (g/cm³) 0.99 **Kinematic viscosity** No data available Particle characteristics Not applicable - product is a liquid Phase changes Melting point/Freezing point (°C) Not applicable - product is a liquid Softening point/range (waxes and pastes) (°C) Does not apply to liquids. Boiling point (°C) 100 Vapour pressure No data available Relative vapour density No data available Decomposition temperature (°C) No data available Data on fire and explosion hazards Flash point (°C) Not applicable - flash point > 200°C Flammability (°C) Not applicable - flash point > 200°C Auto-ignition temperature (°C) Not applicable - flash point > 200°C Lower and upper explosion limit (% v/v) Not applicable - flash point > 200°C Solubility Solubility in water Completely soluble n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product. Solubility in fat (q/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Evaporation rate (n-butylacetate = 100) No data available Oxidizing properties Not applicable Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity

10.1. Reactivity No data available.
10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions None known.
10.4. Conditions to avoid None known.
10.5. Incompatible materials



Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

	Acute toxicity Product/substance Species:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides lat			
	Route of exposure:	Oral			
	Test:	LD50 Z0E mg/kg			
	Result:	795 mg/kg ·			
	Product/substance Species:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Route of exposure:	Dermal			
	Test: Result:	LD50 > 5000 mg/kg ·			
	Skin corrosion/irritation				
•	Product/substance Species: Duration:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Result:	Adverse effect observed (Corrosive)			
	Causes severe skin burn	is and eye damage.			
V	Serious eye damage/irrit				
	Product/substance Species: Duration:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Result:	Adverse effect observed (Corrosive)			
	Causes serious eye dam	age.			
V	Respiratory sensitisation				
	Product/substance Species:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Result:	No adverse effect observed (not sensitising)			
	Skin sensitisation				
•	Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Species: Result:	No adverse effect observed (not sensitising)			
		No adverse effect observed (not sensitising)			
	Germ cell mutagenicity Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Species:				
	Conclusion:	No adverse effect observed			
•	Carcinogenicity Product/substance Species: Route of exposure:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Target organ: Duration: Test:				
	Result:				
	Conclusion:	No adverse effect observed			
•	Reproductive toxicity Product/substance Species: Duration: Test:	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
	Result: Conclusion:	No adverse effect observed			
•	STOT-single exposure				
	U 1				



Product/substanceQuaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chloridesSpecies:Route of exposure:Target organ:Duration:Duration:Fest:Result:No adverse effect observed

▼ STOT-repeated exposure

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	
Route of exposure:	
Target organ:	
Duration:	
Test:	
Result:	
Conclusion:	No adverse effect observed
Aspiration hazard	

Aspiration hazard

Product/substance Kin. viscocity (mm²/s):	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Test:	
Conclusion:	Aspiration hazard not applicable
Other information:	

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

 Endocrine disrupting properties Not applicable.

Other information

None known.

SECTION 12: Ecological information

40.4		-	-		
12.1			Гох	ICI	
12.1	•				L Y

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	0,85 mg/l ·

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Test method:	OECD 201
Species:	Algae, Selenastrum capricornutum
Duration:	72 hours
Test:	EC50
Result:	0,025 mg/l ·

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	0,016 mg/l ·

12.2. ▼ Persistence and degradability

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	> 60%

12.3. ▼ Bioaccumulative potential

Product/substance Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides Test method:



Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. ▼Endocrine disrupting properties Not applicable.

12.7. ▼ Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 8 – Corrosive HP 14 – Ecotoxic Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code

Waste group H Waste group H

▼ Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)		Ш	Yes	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)	-	Π	Yes	Limited quantities: 1 L EmS: F-A S-B See below for additional information.
ΙΑΤΑ	UN1760	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)	-	Π	Yes	See below for additional information.



		14.2	14.3	14.4	14.5	Other
UN / ID	N/ID	UN proper shipping name	Hazard class(es)	PG*	Env**	information
			8			
			$\langle \mathbf{x}_2 \rangle$			
			~			
* Packing gro						
** Environme	ental h	azards				
Additiona						

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2X

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

▼ SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

▼ Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.



H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1 LCS "C" = Consumer uses: Private households (= general public = consumers) LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PROC 28 = Manual maintenance (cleaning and repair) of machinery PROC 19 = Hand-mixing with intimate contact and only PPE available PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities PC 35 = Washing and Cleaning Products (including solvent based products) ERC 8d = Wide dispersive outdoor use of processing aids in open systems Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. ▼ The safety data sheet is validated by RH Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.



Country-language: GB-en