

SAFETY DATA SHEET

# Brilliant Skyllemiddel med parfume

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier Trade name Brilliant Skyllemiddel med parfume Product no. 3441 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Skyllemiddel Use descriptors (UK REACH)

LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non- dedicated facilities
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems
None known. Details of the supplier (	of the safety data sheet

SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

1.3.

1.4.



Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

```
Hazard pictogram(s)
Not applicable.
Signal word
Not applicable.
Hazard statement(s)
Not applicable.
Precautionary statement(s)
General
-
Prevention
-
Response
-
Storage
-
Disposal
```

Hazardous substances

```
None known.
```

Additional labelling

EUH210, Safety data sheet available on request.

#### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfate-quaternized	CAS No.: 1335202-88-4 EC No.: 931-203-0 UK-REACH: Index No.:	1-3%	Aquatic Chronic 3, H412	
N-(3-aminopropyl)-N- dodecylpropane-1,3-diamine	CAS No.: 2372-82-9 EC No.: 219-145-8 UK-REACH: Index No.:	<0.0015%	Acute Tox. 3, H301 Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law < 5%

- · Cationic surfactants
- · Perfumes

SECTION 4: First aid measures



#### 4.1. Description of first aid measures

#### **General** information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

#### Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

#### None known.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### SECTION 5: Firefighting measures

## 5.1. Extinguishing media

#### Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.

#### 2 Environmental procession

6.2. Environmental precautions

# Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

#### See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when



opened and tested periodically for the presence of peroxides. Do not exceed storage time limits. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material Keep only in original packaging. Storage temperature > 0°C

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

propan-2-ol Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 999 Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfatequaternized

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	187,5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	312,5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	13 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	44 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	7,5 mg/kg bw/day

propan-2-ol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m³
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m³
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

#### PNEC

Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfateguaternized

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,065 mg/L
Freshwater sediment		141 mg/kg
Marine water		0,0065 mg/L
Sewage treatment plant		2,96 mg/L
Soil		574 mg/kg

propan-2-ol



Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

# Measures to avoid environmental exposure

No specific requirements.

#### Individual protection measures, such as personal protective equipment

Generally

No specific requirements

#### **Respiratory Equipment**

No specific requirements

#### Skin protection

No specific requirements.

Hand protection

No specific requirements.

#### Eye protection

No specific requirements.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid Colour White Odour / Odour threshold Floral pH 4 Density (g/cm<sup>3</sup>) 1 Kinematic viscosity No data available Particle characteristics Not applicable - product is a liquid



Phase changes Melting point/Freezing point (°C) Not applicable - product is a liquid Softening point/range (waxes and pastes) (°C) Does not apply to liquids. Boiling point (°C) 100 Vapour pressure No data available Relative vapour density No data available Decomposition temperature (°C) Not applicable Data on fire and explosion hazards Flash point (°C) Not applicable - flash point > 200°C Flammability (°C) Not applicable Auto-ignition temperature (°C) Not applicable Lower and upper explosion limit (% v/v) Not applicable Solubility Solubility in water Completely soluble n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Evaporation rate (n-butylacetate = 100) No data available **Oxidizing properties** Not applicable Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity

# 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid None known. 10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Product/substance	Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfate-quaternized
Species: Route of exposure:	Rat Oral
noute of exposure.	



Test: Result:	LD50 5000 mg/kg
Product/substance	Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfate-quaternized
Species:	Rat
Route of exposure:	Dermal
Test: Result:	LD50 2000 mg/kg
Product/substance	propan-2-ol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5.280 mg/kg ·
Product/substance Species:	propan-2-ol Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	72,6 mg/l 4 h ·
Product/substance	propan-2-ol
Species:	Rabbit
Route of exposure: Test:	Dermal LC50
Result:	12.800 mg/kg ·
espiratory sensitisation	ata, the classification criteria are not met. n ata, the classification criteria are not met.
kin sensitisation Based on available da	ata, the classification criteria are not met.
Germ cell mutagenicity Based on available da	ata, the classification criteria are not met.
arcinogenicity Based on available da	ata, the classification criteria are not met.
eproductive toxicity	
TOT-single exposure	ata, the classification criteria are not met.
Based on available da	ata, the classification criteria are not met.
	e ata, the classification criteria are not met.
	ata, the classification criteria are not met.
1.2. Information on oth	ner hazards
ong term effects None known.	
ndocrine disrupting pr Not applicable.	operties
other information propan-2-ol has beer	classified by IARC as a group 3 carcinogen.
SECTION 12: Ecological	information
2.1. Toxicity	
Product/substance	Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfate-quaternized

Species: Duration: Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me sulfate-quaternized Fish



Test:	LC50
Result:	1,91 mg/L
Product/substance	Fatty acids, C16-18 (even numbered) and C18 unsat., reaction products with triethanolamine, di-Me
Species:	sulfate-quaternized
Duration:	Daphnia
Test:	EC50
Result:	2,23 mg/L
Product/substance	propan-2-ol
Species:	Fish
Duration:	7 days
Test:	LC50
Result:	9.640 mg/l ·
Product/substance	propan-2-ol
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	13.299 mg/l ·
.2. Persistence and de	gradability
Product/substance	propan-2-ol
Biodegradable:	Yes
Test method:	OECD 301 E
Result:	95%
.3. Bioaccumulative po No data available. .4. Mobility in soil No data available. .5. Results of PBT and	

- 12.6. Endocrine disrupting properties
- Not applicable.
- 12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

#### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 9 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-
* Packing g		-	-	-	-	-

\*\* Environmental hazards



#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

- H301, Toxic if swallowed.
- H314, Causes severe skin burns and eye damage.
- H373, May cause damage to organs through prolonged or repeated exposure.
- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects.
- H412, Harmful to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PROC 19 = Hand-mixing with intimate contact and only PPE available

PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

- CAS = Chemical Abstracts Service
- CE = Conformité Européenne
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario



EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information

# Not applicable.

The safety data sheet is validated by

#### RH Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en