SAFETY DATA SHEET

Brintoverilte 35%

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Brintoverilte 35%

Product no.

219

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Professionel uses.

Use descriptors (UK REACH)

Sectors of use	**Description**
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	**Description**
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	**Description**
PROC 28	Manual maintenance (cleaning and repair) of machinery
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
Environmental release category	**Description**
ERC 8a	Wide dispersive indoor use of processing aids in open systems
ERC 8b	Wide dispersive indoor use of reactive substances in open systems
ERC 8d	Wide dispersive outdoor use of processing aids in open systems
ERC 4	Industrial use of processing aids in processes and products, not becoming part of articles

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S
Gl. Struervej 50
7500 Holstebro
Denmark
+45 9740 3133
+45 9740 4846
www.jyskkemi.dk

Contact person

Rikke Hunskjær

E-mail

rikke@jyskkemi.dk

Revision

29/03/2023

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.
Skin Irrit. 2; H315, Causes skin irritation.
Eye Dam. 1; H318, Causes serious eye damage.
Acute Tox. 4; H332, Harmful if inhaled.
STOT SE 3; H335, May cause respiratory irritation.
Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Signal word

Danger

Hazard statement(s)

Harmful if swallowed or if inhaled. (H302+H332)
Causes skin irritation. (H315)
Causes serious eye damage. (H318)
May cause respiratory irritation. (H335)

Precautionary statements

General

-

Prevention

Avoid breathing mist/vapour. (P261)
Wear eye protection/face protection/protective gloves. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
Immediately call a POISON CENTER/doctor. (P310)

Storage

Store in a well-ventilated place. Keep container tightly closed. (P403+P233)

Disposal

Dispose of contents/container in accordance with local regulation. (P501)

Hazardous substances

hydrogen peroxide

Additional labelling

Not applicable.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
hydrogen peroxide	CAS No.: 7722-84-1 EC No.: 231-765-0 UK-REACH: Index No.: 008-003-00-9	25-40%	Ox. Liq. 1, H271 Acute Tox. 4, H302 Skin Corr. 1B, H314 (SCL: 50.00 %) Skin Corr. 1A, H314 (SCL: 70.00 %) Skin Irrit. 2, H315 (SCL: 35.00 %) Eye Dam. 1, H318 (SCL: 8.00 %)	

Eye Irrit. 2, H319 (SCL: 5.00 %)
Acute Tox. 4, H332
STOT SE 3, H335 (SCL: 35.00 %)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

≥ 30%
· Oxygen-based bleaching Agents

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.

Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrogen peroxide
Long term exposure limit (8 hours) (ppm): 1
Long term exposure limit (8 hours) (mg/m³): 1,4
Short term exposure limit (15 minutes) (ppm): 2
Short term exposure limit (15 minutes) (mg/m³): 2,8

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

hydrogen peroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	210 µg/m³
Long term – Local effects - Workers	Inhalation	1.4 mg/m³
Short term – Local effects - General population	Inhalation	1.93 mg/m³
Short term – Local effects - Workers	Inhalation	3 mg/m³

PNEC

hydrogen peroxide

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,013 mg/l
Freshwater		12.6 µg/L
Freshwater sediment		0,047 mg/kg
Freshwater sediment		47 µg/kg
Intermittent release (freshwater)		13.8 µg/L
Marine water		0,013 mg/l
Marine water		12.6 µg/L
Marine water sediment		0,047 mg/kg
Marine water sediment		47 µg/kg
Sewage treatment plant		4,66 mg/l
Sewage treatment plant		4.66 mg/L
Soil		0,002 mg/kg
Soil		2.3 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
B	Class 1 (low capacity)	Gray	

Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0.22500000000000001	> 480	EN374-2, EN374-3, EN388

Eye protection

Type	Standards

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state
Liquid

Colour
Colourless

Odour / Odour threshold
Sharp/pungent

pH
3,5

Density (g/cm³)
1.132

Kinematic viscosity
1.11 mPa.s (20 °C)

Particle characteristics
Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C)
Not applicable - product is a liquid

Softening point/range (waxes and pastes) (°C)
Does not apply to liquids.

Boiling point (°C)
108

Vapour pressure
2.99 hPa

Relative vapour density
Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)
No data available

Data on fire and explosion hazards

Flash point (°C)
-33

Flammability (°C)
No data available

Auto-ignition temperature (°C)
No data available

Lower and upper explosion limit (% v/v)
No data available

Solubility

Solubility in water
Completely soluble

n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)
Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Oxidizing properties
Kraftigt oxidationsmiddel

Other physical and chemical parameters
No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available.

10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions
None known.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products
The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	hydrogen peroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1193 mg/kg

Product/substance	hydrogen peroxide
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	hydrogen peroxide
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (4 hours)
Result:	>170 mg/m³

Harmful if swallowed.
Harmful if inhaled.

Skin corrosion/irritation
Causes skin irritation.

Serious eye damage/irritation
Causes serious eye damage.

Respiratory sensitisation
Based on available data, the classification criteria are not met.

Skin sensitisation
Based on available data, the classification criteria are not met.

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

Carcinogenicity
Based on available data, the classification criteria are not met.

Reproductive toxicity
Based on available data, the classification criteria are not met.

STOT-single exposure
May cause respiratory irritation.

STOT-repeated exposure
Based on available data, the classification criteria are not met.

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects
The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

Endocrine disrupting properties
Not applicable.

Other information
hydrogen peroxide has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	hydrogen peroxide
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	16,4 mg/L

Product/substance	hydrogen peroxide
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	2,4 mg/L

12.2. Persistence and degradability

Product/substance	hydrogen peroxide
Biodegradable:	Yes
Test method:	
Result:	

12.3. Bioaccumulative potential

Product/substance	hydrogen peroxide
Test method:	
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.
HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 6 - Acute toxicity
HP 8 – Corrosive
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 14*	Acids
Waste Group X	Waste Group X

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	2014	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	Class: 5.1 Labels: 5.1 +8 Classification code: OC1	II	No	Limited quantities: 1 L Tunnel restriction code: 2 (E) See below for additional information.
IMDG	2014	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	Class: 5.1 Labels: 5.1 +8 Classification code: OC1	II	No	Limited quantities: 1 L EmS: F-H S-Q See below for additional information.
IATA	2014	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	Class: 5.1 Labels: 5.1 +8 Classification code: OC1	II	No	See below for additional information.

* Packing group
** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.
IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.
This product is within scope of the regulations of transport of dangerous goods.
Hazchem Code: None

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Regulation on explosives precursors

hydrogen peroxide (Annex I)

Additional information

Not applicable.

Sources

The Management of Health and Safety at Work Regulations 1999.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Council Regulation (EC) No 2019/1148 on explosives precursors as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H271, May cause fire or explosion; strong oxidiser.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H332, Harmful if inhaled.
H335, May cause respiratory irritation.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PROC 28 = Manual maintenance (cleaning and repair) of machinery
PROC 19 = Hand-mixing with intimate contact and only PPE available
PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
PC 35 = Washing and Cleaning Products (including solvent based products)
ERC 8a = Wide dispersive indoor use of processing aids in open systems
ERC 8b = Wide dispersive indoor use of reactive substances in open systems
ERC 8d = Wide dispersive outdoor use of processing aids in open systems
ERC 4 = Industrial use of processing aids in processes and products, not becoming part of articles

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Rikke Hunskjær

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en