



SAFETY DATA SHEET

Extrarens

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Extrarens

Product no.

202

▼ Unique formula identifier (UFI)

ECXS-V1GF-U00T-J5F2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Alkaline cleaner.

▼ Use descriptors (REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 28	Manual maintenance (cleaning and repair) of machinery
PROC 19	Hand-mixing with intimate contact and only PPE available
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
Environmental release category	Description
ERC8a	Wide dispersive indoor use of processing aids in open systems
ERC8d	Wide dispersive outdoor use of processing aids in open systems

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S

Gl. Struervej 50

7500 Holstebro

Denmark

+45 9740 3133

+45 9740 4846



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

www.jyskkemi.dk

Contact person

Rikke Hunsbjerg

E-mail

rikke@jyskkemi.dk

Revision

14-10-2021

SDS Version

2.0

Date of previous version

2021-05-05 (1.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

▼ Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Safety statement(s)

▼ General

If medical advice is needed, have product container or label at hand. (P101)

▼ Prevention

Wear eye protection / face protection / protective gloves. (P280)

▼ Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

-

▼ Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

Hazardous substances

disodium metasilicate

hexyl D-glucoside

2-Propylheptanol ethoxylate

2.3. Other hazards

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

and/or vPvB.

SECTION 3: Composition/information on ingredients

▼ 3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
disodium metasilicate	CAS No.: 10213-79-3 EC No.: 600-279-4 REACH: 01-2119449811-37-xxxx Index No.:	3-5%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
2-Propylheptanol ethoxylate	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
hexyl D-glucoside	CAS No.: 54549-24-5 EC No.: 259-217-6 REACH: 01-2119492545-29 Index No.:	3-5%	Eye Dam. 1, H318	
2-Propylheptanol ethoxylate	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
tetrapotassium pyrophosphate	CAS No.: 7320-34-5 EC No.: 230-785-7 REACH: 01-2119489369-18-XXXX Index No.:	1-3%	Eye Irrit. 2, H319	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

No special

Labelling of contents according to Detergents Regulation (EC) No 648/2004

5% - 15%

· Non-ionic surfactants

< 5%

· Phosphates



SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

▼ 5.1. Extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

▼ 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

▼ DNEL

Product/substance	disodium metasilicate
DNEL	1,49 mg/kg uge/dag
Route of exposure	Dermal
Duration	Long term

Product/substance	disodium metasilicate
DNEL	6,22 mg/m ³
Route of exposure	Inhalation
Duration	Long term

Product/substance	hexyl D-glucoside
DNEL	420 mg/m ³
Route of exposure	Inhalation
Duration	Long term



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	hexyl D-glucoside
DNEL	595 mg/kg
Route of exposure	Dermal
Duration	Long term

PNEC

Product/substance	hexyl D-glucoside
PNEC	0,654 mg/kg
Route of exposure	Soil
Duration of Exposure	

▼ 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

▼ Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

▼ Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0.22500000000000001	> 480	EN374-2, EN374-3, EN388



Eye protection

Type	Standards



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour / Odour threshold

Faint

pH

12,9

Density (g/cm³)

1.06

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100.00 °C

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance	disodium metasilicate
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	> 5000 mg/kg ·
Other information	

Product/substance	disodium metasilicate
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	> 2,06 g/m ³ ·
Other information	

Product/substance	disodium metasilicate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	1152-1349 mg/kg ·
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	300-2000 mg/kg ·



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other information

Product/substance	hexyl D-glucoside
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>2000 mg/kg ·
Other information	

Product/substance	hexyl D-glucoside
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg ·
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	> 2000 mg/kg
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	
Route of exposure	Inhalation
Test	LC50
Result	> 20,1 mg/l ·
Other information	

Product/substance	tetrapotassium pyrophosphate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	> 2000 mg/kg ·
Other information	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

No special

Other information

No special

SECTION 12: Ecological information

▼ 12.1. Toxicity

Product/substance	disodium metasilicate
Test method	
Species	Daphnia
Compartment	
Duration	7 days
Test	EC50
Result	1700 mg/l ·
Other information	

Product/substance	disodium metasilicate
Test method	
Species	Fish
Compartment	
Duration	7 days
Test	LC50
Result	210 mg/l ·
Other information	

Product/substance	disodium metasilicate
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	> 345,4 mg/l ·
Other information	



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Fish
Compartment	
Duration	7 days
Test	LC50
Result	10-100 mg/l ·
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	10-100 mg/l ·
Other information	

Product/substance	hexyl D-glucoside
Test method	
Species	Fish
Compartment	
Duration	7 days
Test	LC50
Result	420 mg/l ·
Other information	

Product/substance	hexyl D-glucoside
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	490 mg/l ·
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	1-10 mg/L
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Fish
Compartment	



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration	96 hours
Test	LC50
Result	1-10 mg/L
Other information	

Product/substance	2-Propylheptanol ethoxylate
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	10-100 mg/L
Other information	

Product/substance	tetrapotassium pyrophosphate
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	> 100 mg/l ·
Other information	

Product/substance	tetrapotassium pyrophosphate
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	LC50
Result	> 100 mg/l ·
Other information	

▼ 12.2. Persistence and degradability

Product/substance	2-Propylheptanol ethoxylate
Biodegradable	Yes
Test method	OECD 301 D
Result	> 60%

Product/substance	hexyl D-glucoside
Biodegradable	Yes
Test method	OECD 301 D
Result	>70%

Product/substance	2-Propylheptanol ethoxylate
Biodegradable	Yes
Test method	OECD 301 D
Result	>60%

12.3. Bioaccumulative potential



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	disodium metasilicate
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	No data available
Other information	

Product/substance	hexyl D-glucoside
Test method	
Potential bioaccumulation	No
LogPow	1,7500
BCF	No data available
Other information	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

Avoid discharge to lakes, streams, sewers, etc.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

20 01 15* Alkalines

Waste group H Waste group H

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

This product is within scope of the regulations of transport of dangerous goods.

▼ ADR/RID



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

UN- or ID number	UN proper shipping name	Labels	Packing group	Tunnel restriction code
1760	CORROSIVE LIQUID, N.O.S. (Sodium metasilicat)	8	III	3 (E)

▼IMDG

UN- or ID number	UN proper shipping name	Labels	Packing group	EmS
1760	CORROSIVE LIQUID, N.O.S. (Sodium metasilicat)	8	III	F-A, S-B

MARINE POLLUTANT

No

▼IATA

UN- or ID number	UN proper shipping name	Labels	Packing group
1760	CORROSIVE LIQUID, N.O.S. (Sodium metasilicat)	8	III

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

15.2. Chemical safety assessment

No



SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H290, May be corrosive to metals.
- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H335, May cause respiratory irritation.

The full text of identified uses as mentioned in section 1

- LCS "C" = Consumer uses: Private households (= general public = consumers)
- LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- PROC 28 = Manual maintenance (cleaning and repair) of machinery
- PROC 19 = Hand-mixing with intimate contact and only PPE available
- PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
- PC35 = Washing and Cleaning Products (including solvent based products)
- ERC8a = Wide dispersive indoor use of processing aids in open systems
- ERC8d = Wide dispersive outdoor use of processing aids in open systems

Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SCL = A specific concentration limit.
- SVHC = Substances of Very High Concern
- STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
- STOT-SE = Specific Target Organ Toxicity - Single Exposure



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

TWA = Time weighted average
UN = United Nations
UVCB = Complex hydrocarbon substance
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP)

The safety data sheet is validated by

RH

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en