

SAFETY DATA SHEET

# Extrarens

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name

Extrarens

Product no.

202

Unique formula identifier (UFI)

ECXS-V1GF-U00T-J5F2

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Alkaline cleaner.

## Use descriptors (UK REACH)

| Sectors of use                    | Description  |
|-----------------------------------|--|
| LCS "C"                           | Consumer uses: Private households (= general public = consumers)   |
| LCS "PW"                          | Professional uses: Public domain (administration, education, entertainment, services, craftsmen)                             |
| Product category                  | Description  |
| PC35                              | Washing and Cleaning Products (including solvent based products)   |
| Process category                  | Description  |
| PROC28                            | Manual maintenance (cleaning and repair) of machinery  |
| PROC19                            | Hand-mixing with intimate contact and only PPE available   |
| PROC8a                            | Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-<br>dedicated facilities |
| Environmental<br>release category | Description  |
| ERC8a                             | Wide dispersive indoor use of processing aids in open systems  |
| ERC8d                             | Wide dispersive outdoor use of processing aids in open systems   |

▼ Uses advised against None known.

# 1.3. Details of the supplier of the safety data sheet

8. Details of the supplier of Company and address Jysk Kemi Service A/S Gl. Struervej 50 7500 Holstebro Denmark +45 9740 3133 +45 9740 4846 www.jyskkemi.dk Contact person Rikke Hunskjær E-mail rikke@jyskkemi.dk Revision 08/12/2022

SDS Version

3.0

Date of previous version

14/10/2021 (2.0)

<sup>1.4.</sup> Emergency telephone number



Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

# 2.2. Label elements

Hazard pictogram(s)



# Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Safety statement(s)

# General

If medical advice is needed, have product container or label at hand. (P101)

Prevention

Wear eye protection/face protection/protective gloves. (P280)

# ▼ Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

## ▼ Disposal

Dispose of contents/container in accordance with local regulation . (P501)

### Hazardous substances

disodium metasilicate hexyl D-glucoside 2-Propylheptanol ethoxylate ▼Additional labelling

UFI: ECXS-V1GF-U00T-J5F2

### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

#### 3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

| Product/substance           | Identifiers  | % w/w | Classification   | Note |
|-----------------------------|--|-------|--|------|
| disodium metasilicate       | CAS No.: 10213-79-3<br>EC No.: 600-279-4<br>UK-REACH:<br>Index No.:  | 3-5%  | Met. Corr. 1, H290<br>Skin Corr. 1B, H314<br>STOT SE 3, H335 |      |
| 2-Propylheptanol ethoxylate | CAS No.: 160875-66-1<br>EC No.: 605-233-7<br>UK-REACH:<br>Index No.: | 3-5%  | Acute Tox. 4, H302<br>Eye Dam. 1, H318                       |      |
| hexyl D-glucoside           | CAS No.: 54549-24-5  | 3-5%  | Eye Dam. 1, H318   |      |



|                                 | EC No.: 259-217-6<br>UK-REACH:<br>Index No.:                         |      |  |  |
|---------------------------------|--|------|--|--|
| 2-Propylheptanol ethoxylate     | CAS No.: 160875-66-1<br>EC No.: 605-233-7<br>UK-REACH:<br>Index No.: | 3-5% | Acute Tox. 4, H302<br>Eye Dam. 1, H318 |  |
| tetrapotassium<br>pyrophosphate | CAS No.: 7320-34-5<br>EC No.: 230-785-7<br>UK-REACH:<br>Index No.:   | 1-3% | Eye Irrit. 2, H319                     |  |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

# Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

- 5% 15%
- · Non-ionic surfactants
- < 5%
- · Phosphates

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

## General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

## Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

## ▼ Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

# Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

# ▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

# ▼ Burns

# Not applicable.

# 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

# 4.3. Indication of any immediate medical attention and special treatment needed

# IF exposed or concerned:

Get immediate medical advice/attention.

# Information to medics

Bring this safety data sheet or the label from this product.



**SECTION 5: Firefighting measures** 

## 5.1. ▼ Extinguishing media

# Not applicable.

## 5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

## 5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

#### 6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

# 6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### ▼ Recommended storage material

Keep only in original packaging.

# Storage temperature

> 0°C

## Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### ▼ DNEL disodium metasilicate

| Duration  | Route of exposure | DNEL               |
|-----------|-------------------|--------------------|
| Long term | Dermal            | 1,49 mg/kg uge/dag |



| Long term             | Inhalation         | 6,22 mg/m3        |
|-----------------------|--------------------|-------------------|
| hexyl D-glucoside     | Davida of announce | DNG               |
| Duration<br>Long term | Route of exposure  | DNEL<br>595 mg/kg |
| Long term             | Inhalation         | 420 mg/m3         |

# PNEC

| hexyl D-glucoside |                      |             |
|-------------------|----------------------|-------------|
| Route of exposure | Duration of Exposure | PNEC        |
| Soil              |                      | 0,654 mg/kg |

#### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

# Exposure scenarios

There are no exposure scenarios implemented for this product.

# Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

# Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

# Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

## Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# 8.3. Individual protection measures, such as personal protective equipment

#### ▼ Generally

Wash contaminated clothing before reuse. Use only UKCA marked protective equipment.

# **Respiratory Equipment**

# No specific requirements

| Skin | protection                          |                      |                             |                         |   |
|------|-------------------------------------|----------------------|-----------------------------|-------------------------|---|
| F    | Recommended                         | Type/Category        | Standards                   |                         |   |
|      | No special when used<br>as intended | -                    | -                           |                         |   |
| Han  | d protection                        |                      |                             |                         |   |
| M    | Material                            | Glove thickness (mm) | Breakthrough time<br>(min.) | Standards               |   |
| ٢    | Nitrile                             | 0.22500000000000001  | > 480                       | EN374-2, EN374-3, EN388 | m |

# Eye protection Type

Standards

# SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
```

Physical state Liquid Colour Pale yellow Odour / Odour threshold Faint pH



| 12,9  |
|---|
| Density (g/cm³)<br>1.06   |
| ▼ Kinematic viscosity   |
| No data available   |
| ▼ Particle characteristics  |
| Not applicable - product is a liquid  |
| Phase changes   |
| <ul> <li>Melting point/Freezing point (°C)</li> <li>Not applicable - product is a liquid</li> </ul> |
| Softening point/range (waxes and pastes) (°C)   |
| Does not apply to liquids.  |
| ▼ Boiling point (°C)<br>100   |
| ▼Vapour pressure  |
| No data available   |
| ▼ Relative vapour density   |
| No data available   |
| <ul> <li>Decomposition temperature (°C)</li> <li>Not applicable</li> </ul>                          |
| Data on fire and explosion hazards  |
| ▼ Flash point (°C)  |
| Not applicable - flash point > 200°C  |
| ▼ Ignition (°C)<br>Not applicable - flash point > 200°C   |
| ▼ Auto flammability (°C)  |
| Not applicable - flash point > 200°C  |
| ▼ Lower and upper explosion limit (% v/v)   |
| Not applicable<br>Solubility  |
| ▼ Solubility in water   |
| Completely soluble  |
| ▼n-octanol/water coefficient  |
| Testing not relevant or not possible due to the nature of the product.                              |
| Solubility in fat (g/L)<br>Testing not relevant or not possible due to the nature of the product.   |
| 9.2. Other information  |
| ▼ Evaporation rate (n-butylacetate = 100)   |
| No data available   |
| Other physical and chemical parameters<br>No data available.  |
|   |
| SECTION 10: Stability and reactivity  |
|   |
| 10.1. ▼ Reactivity  |
| No data available.<br>10.2. Chemical stability  |
| The product is stable under the conditions, noted in section 7 "Handling and storage".              |
| 10.3. ▼ Possibility of hazardous reactions  |
| None known.   |
| 10.4. ▼ Conditions to avoid None known.   |
| 10.5. Incompatible materials  |
| Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.                    |
| 10.6. Hazardous decomposition products  |
| The product is not degraded when used as specified in section 1.                                    |
| SECTION 11: Toxicological information   |
|   |



| cute toxicity<br>Product/substance | disodium metasilicate       |
|------------------------------------|-----------------------------|
| Fest method                        | usoulummetasiitate          |
|                                    | Det                         |
| Species                            | Rat                         |
| Route of exposure                  | Oral                        |
| Fest                               | LD50                        |
| Result                             | 1152-1349 mg/kg ·           |
| Other information                  |                             |
|                                    |                             |
| Product/substance                  | disodium metasilicate       |
| Fest method                        |                             |
| Species                            | Rat                         |
| Route of exposure                  | Inhalation                  |
| Fest                               | LC50                        |
| Result                             | > 2,06 g/m3 ·               |
| Other information                  |                             |
| Product/substance                  | disodium metasilicate       |
|                                    | usoulum metasilitate        |
| Test method                        | Det                         |
| Species                            | Rat                         |
| Route of exposure                  | Dermal                      |
| Test                               | LD50                        |
| Result                             | > 5000 mg/kg ·              |
| Other information                  |                             |
| Product/substance                  | 2-Propylheptanol ethoxylate |
| Test method                        | 13 TT                       |
| Species                            | Rat                         |
| Route of exposure                  | Oral                        |
| Test                               | LD50                        |
| Result                             | 300-2000 mg/kg ·            |
| Other information                  | 300-2000 mg/kg *            |
|                                    |                             |
| Product/substance                  | hexyl D-glucoside           |
| Fest method                        |                             |
| Species                            | Rat                         |
| Route of exposure                  | Dermal                      |
| ,<br>Test                          | LD50                        |
| Result                             | >2000 mg/kg ·               |
| Other information                  |                             |
|                                    |                             |
| Product/substance                  | hexyl D-glucoside           |
| Fest method                        | <b>D</b> -1                 |
| Species                            | Rat                         |
| Route of exposure                  | Oral                        |
| Test                               | LD50                        |
| Result                             | >2000 mg/kg ·               |
| Other information                  |                             |
| Product/substance                  | 2-Propylheptanol ethoxylate |
| Test method                        |                             |
| Species                            |                             |
| Route of exposure                  | Inhalation                  |
| Test                               | LC50                        |
| Result                             | > 20,1 mg/l ·               |
| Other information                  |                             |
|                                    |                             |
| Product/substance                  | 2-Propylheptanol ethoxylate |
| Test method                        | -                           |
| Species                            | Rat                         |
| Route of exposure                  | Oral                        |
| Fest                               | LD50                        |
| Result                             | > 2000 mg/kg                |
| Other information                  |                             |



| Product/substance<br>Test method | tetrapotassium pyrophosphate |
|----------------------------------|------------------------------|
| Species                          | Rat                          |
| Route of exposure                | Oral                         |
| Test                             | LD50                         |
| Result                           | > 2000 mg/kg ·               |
| Other information                |                              |

# Skin corrosion/irritation

Causes severe skin burns and eye damage.

# ▼ Serious eye damage/irritation

Causes serious eye damage.

# Respiratory sensitisation

Based on available data, the classification criteria are not met.

## Skin sensitisation

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

# ▼Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

# ▼ Endocrine disrupting properties

None known.

▼ Other information None known.

## SECTION 12: Ecological information

## 12.1. ▼Toxicity

| Product/substance                | disodium metasilicate |
|----------------------------------|-----------------------|
| Test method                      |                       |
| Species                          | Fish                  |
| Compartment                      |                       |
| Duration                         | 7 days                |
| Test                             | LC50                  |
| Result                           | 210 mg/l ·            |
| Other information                |                       |
| Product/substance<br>Test method | disodium metasilicate |
| Species                          | Daphnia               |
| Compartment                      | 2 49 11 10            |
| Duration                         | 7 days                |
| Test                             | EC50                  |
| Result                           | 1700 mg/l ·           |
| Other information                |                       |
| Product/substance<br>Test method | disodium metasilicate |
| Species                          | Algae                 |
| Compartment                      | , ngue                |
| comparanent                      |                       |



| Duration<br>Test<br>Result<br>Other information   | 72 hours<br>EC50<br>> 345,4 mg/l ·  |
|---|---|
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | 2-Propylheptanol ethoxylate<br>Fish<br>7 days<br>LC50<br>10-100 mg/l ·      |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | 2-Propylheptanol ethoxylate<br>Daphnia<br>48 hours<br>EC50<br>10-100 mg/l · |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | hexyl D-glucoside<br>Fish<br>7 days<br>LC50<br>420 mg/l ·                   |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | hexyl D-glucoside<br>Daphnia<br>48 hours<br>EC50<br>490 mg/l ·              |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | 2-Propylheptanol ethoxylate<br>Fish<br>96 hours<br>LC50<br>1-10 mg/L        |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | 2-Propylheptanol ethoxylate<br>Daphnia<br>48 hours<br>EC50<br>1-10 mg/L     |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result                      | 2-Propylheptanol ethoxylate<br>Algae<br>72 hours<br>EC50<br>10-100 mg/L     |



# Other information

| Product/substance | tetrapotassium pyrophosphate |
|-------------------|------------------------------|
| Test method       |                              |
| Species           | Fish                         |
| Compartment       |                              |
| Duration          | 96 hours                     |
| Test              | LC50                         |
| Result            | > 100 mg/l ·                 |
| Other information | 5                            |
|                   |                              |

| Product/substance | tetrapotassium pyrophosphate |
|-------------------|------------------------------|
| Test method       |                              |
| Species           | Daphnia                      |
| Compartment       |                              |
| Duration          | 48 hours                     |
| Test              | LC50                         |
| Result            | > 100 mg/l ·                 |
| Other information | 2                            |

# 12.2. Persistence and degradability

| Product/substance | 2-Propylheptanol ethoxylate |
|-------------------|-----------------------------|
| Biodegradable     | Yes                         |
| Test method       | OECD 301 D                  |
| Result            | > 60%                       |
|                   |                             |

| Product/substance<br>Biodegradable<br>Test method<br>Result | hexyl D-glucoside<br>Yes<br>OECD 301 D<br>>70% |  |  |
|---|--|--|--|
|   |  |  |  |

Product/substance2-Propylheptanol ethoxylateBiodegradableYesTest methodOECD 301 DResult>60%

## 12.3. ▼ Bioaccumulative potential

| Product/substance         | disodium metasilicate |
|---------------------------|-----------------------|
| Test method               |                       |
| Potential bioaccumulation | No                    |
| LogPow                    | No data available.    |
| BCF                       | No data available.    |
| Other information         |                       |

Product/substancehexyl D-glucosideTest methodNoPotential bioaccumulationNoLogPow1,7500BCFNo data available.Other information

# 12.4. ▼ Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. ▼Endocrine disrupting properties None known.

# 12.7. ▼ Other adverse effects None known.

SECTION 13: Disposal considerations

#### ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste.



HP 8 – Corrosive Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code 20 01 15\* Alkalines

Waste group H Waste group H ▼ Specific labelling

# Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

|      | 14.1<br>UN / ID | 14.2<br>UN proper shipping<br>name                  | 14.3<br>Hazard class(es)                            | 14.4<br>PG* | 14.5<br>Env** | Other information   |
|------|-----------------|---|---|-------------|---------------|---|
| ADR  | 1760            | CORROSIVE LIQUID,<br>N.O.S. (Sodium<br>metasilicat) | Class: 8<br>Labels: 8<br>Classification code:<br>C9 | Π           | No            | Limited quantities:<br>5 L<br>Tunnel restriction<br>code: 3<br>(E)<br>See below for<br>additional<br>information. |
| IMDG | 1760            | CORROSIVE LIQUID,<br>N.O.S. (Sodium<br>metasilicat) | Class: 8<br>Labels: 8<br>Classification code:<br>C9 | Π           | No            | Limited quantities:<br>5 L<br>EmS: F-A S-B<br>See below for<br>additional<br>information.                         |
| ΙΑΤΑ | 1760            | CORROSIVE LIQUID,<br>N.O.S. (Sodium<br>metasilicat) | Class: 8<br>Labels: 8<br>Classification code:<br>C9 | III         | No            | See below for<br>additional<br>information.   |
|      |                 |   |   |             |               |   |

# \* Packing group

\*\* Environmental hazards

▼ Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: None

14.6. ▼ Special precautions for user

Not applicable.

14.7. ▼ Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

People under the age of 18 shall not be exposed to this product.

- ▼ Demands for specific education
- No specific requirements. V SEVESO - Categories / dangerous substances



# Not applicable.

▼ Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

▼ Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

# 15.2. Chemical safety assessment

No

SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

- H290, May be corrosive to metals.
- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H335, May cause respiratory irritation.

## The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC28 = Manual maintenance (cleaning and repair) of machinery

PROC19 = Hand-mixing with intimate contact and only PPE available

PROC8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

PC35 = Washing and Cleaning Products (including solvent based products)

ERC8a = Wide dispersive indoor use of processing aids in open systems

ERC8d = Wide dispersive outdoor use of processing aids in open systems

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development



PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

# Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# ▼ The safety data sheet is validated by

Rikke Hunskjær

# Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en