

SAFETY DATA SHEET

Gulvvask 2 i 1, med parfume

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Gulvvask 2 i 1, med parfume

Product no.

5341

Unique formula identifier (UFI)

926Q-THUA-E105-18WX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Floor Cleaning

Use descriptors (UK REACH)

| Sectors of use | Description |
|--------------------------------|--|
| LCS "C" | Consumer uses: Private households (= general public = consumers) |
| LCS "PW" | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) |
| Product category | Description |
| PC 35 | Washing and Cleaning Products (including solvent based products) |
| Process category | Description |
| PROC 8a | Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities |
| PROC 19 | Hand-mixing with intimate contact and only PPE available |
| PROC 28 | Manual maintenance (cleaning and repair) of machinery |
| Environmental release category | Description |
| ERC 8a | Wide dispersive indoor use of processing aids in open systems |
| ERC 8b | Wide dispersive indoor use of reactive substances in open systems |

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S

Gl. Struervej 50

7500 Holstebro

Denmark

+45 9740 3133

+45 9740 4846

www.jyskkemi.dk

Contact person

Rikke Hunskjær

E-mail

rikke@jyskkemi.dk

Revision

16/01/2024

SDS Version

5.0

Date of previous version 11/10/2023 (4.0)



1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

Prevention

Wear eye protection/face protection/protective gloves. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

hexyl D-glucoside

disodium metasilicate

2-Propylheptanol ethoxylate

Additional labelling

UFI: 926Q-THUA-E105-18WX

▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

5% - 15%

- · Non-ionic surfactants
- < 5%
- · Phosphates
- · Perfumes

2.3. Other hazards

▼Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|-------------------|-------------|-------|----------------|------|
| | | | | |



| tetrapotassium pyrophosphate | CAS No.: 7320-34-5 EC No.: 230-785-7 UK-REACH: Index No.: | 3-5% | Eye Irrit. 2, H319 |
|--|--|--------|--|
| 2-Propylheptanol ethoxylate | CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.: | 1-3% | Acute Tox. 4, H302 Eye Dam. 1, H318 |
| hexyl D-glucoside | CAS No.: 54549-24-5 EC No.: 259-217-6 UK-REACH: Index No.: | 1-3% | Eye Dam. 1, H318 |
| disodium metasilicate | CAS No.: 10213-79-3 EC No.: 600-279-4 UK-REACH: Index No.: | 1-3% | Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| 2-Propylheptanol ethoxylate | CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.: | 1-3% | Acute Tox. 4, H302 Eye Dam. 1, H318 |
| Amides, C8-18 and C18- unsatd., N,N-bis(hydroxyethyl) | CAS No.: 68155-07-7 EC No.: 268-935-9 UK-REACH: Index No.: | 1-3% | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| 3,7-Dimethyloctan-3-ol | CAS No.: 78-69-3 EC No.: 201-133-9 UK-REACH: Index No.: | <0.01% | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 |
| Benzoic,acid,2-hydroxy- ,hexyl,ester | CAS No.: 6259-76-3 EC No.: 228-408-6 UK-REACH: Index No.: | <0.01% | Skin Sens. 1B, H317 Aquatic Chronic 1, H410 (M=1) |
| | | | |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.



Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.



See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol

Long term exposure limit (8 hours) (mg/m³): 10

diphenyl ether

Long term exposure limit (8 hours) (ppm): 1

Long term exposure limit (8 hours) (mg/m³): 7

Short term exposure limit (15 minutes) (ppm): 2

Short term exposure limit (15 minutes) (mg/m³): 14

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNFI

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)

| Long term - Local effects - General populationDermal0,0562 mg/cm² hudLong term - Local effects - WorkersDermal0,0936 mg/cm² hudLong term - Systemic effects - General populationDermal2,5 mg/kg bw/dagLong term - Systemic effects - WorkersDermal4,16 mg/kg bw/dagLong term - Systemic effects - General populationInhalation21,73 mg/m³ | Duration: | Route of exposure: | DNEL: |
|---|---|--------------------|-------------------------------|
| Long term – Systemic effects - General population Dermal 2,5 mg/kg bw/dag Long term – Systemic effects - Workers Dermal 4,16 mg/kg bw/dag | Long term – Local effects - General population | Dermal | 0,0562 mg/cm ² hud |
| Long term – Systemic effects - Workers Dermal 4,16 mg/kg bw/dag | Long term – Local effects - Workers | Dermal | 0,0936 mg/cm ² hud |
| | Long term – Systemic effects - General population | Dermal | 2,5 mg/kg bw/dag |
| Long term – Systemic effects - General population Inhalation 21,73 mg/m ³ | Long term – Systemic effects - Workers | Dermal | 4,16 mg/kg bw/dag |
| | Long term – Systemic effects - General population | Inhalation | 21,73 mg/m³ |
| Long term – Systemic effects - Workers Inhalation 73,4 mg/m³ | Long term – Systemic effects - Workers | Inhalation | 73,4 mg/m³ |
| Long term – Systemic effects - General population Oral 6,25 mg/kg bw/dag | Long term – Systemic effects - General population | Oral | 6,25 mg/kg bw/dag |

diphenyl ether

| Duration: | Route of exposure: | DNEL: |
|--|--------------------|-----------------|
| Long term – Systemic effects - Workers | Dermal | 25 mg/kg bw/day |
| Long term – Local effects - Workers | Inhalation | 7 mg/m³ |
| Long term – Systemic effects - Workers | Inhalation | 59 mg/m³ |
| Short term – Local effects - Workers | Inhalation | 14 mg/m³ |

disodium metasilicate

| Duration: | Route of exposure: | DNEL: |
|-----------|--------------------|--------------------|
| Long term | Dermal | 1,49 mg/kg uge/dag |
| Long term | Inhalation | 6,22 mg/m3 |

glycerol

| glyceror | | |
|--|--------------------|-----------------------|
| Duration: | Route of exposure: | DNEL: |
| Long term – Local effects - General population | Inhalation | 132 mg/m³ |
| Long term – Local effects - Workers | Inhalation | 220 mg/m ³ |

hexyl D-glucoside



| Duration: | Route of exposure: | DNEL: |
|---|--------------------|------------------------|
| Long term | Dermal | 595 mg/kg |
| Long term – Systemic effects - General population | Dermal | 357000 mg/kg bw/day |
| Long term – Systemic effects - Workers | Dermal | 595000 mg/kg bw/day |
| Long term | Inhalation | 420 mg/m3 |
| Long term – Systemic effects - General population | Inhalation | 124 mg/m³ |
| Long term – Systemic effects - Workers | Inhalation | 420 mg/m³ |
| Long term – Systemic effects - General population | Oral | 35.7 mg/kg bw/day |
| | | |

▼ PNEC

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)

| Route of exposure: | Duration of Exposure: | PNEC: |
|------------------------|-----------------------|------------------|
| Freshwater | | 0,007 mg/l |
| Freshwater sediment | | 0,195 mg/kg dwt |
| Marine water | | 0,0007 mg/l |
| Marine water sediment | | 0,0195 mg/kg dwt |
| Sewage treatment plant | | 830 mg/l |
| Soil | | 0,035 mg/kg dwt |

diphenyl ether

| Route of exposure: | Duration of Exposure: | PNEC: |
|-----------------------------------|-----------------------|------------|
| Freshwater | | 455 ng/L |
| Freshwater sediment | | 92.6 μg/kg |
| Intermittent release (freshwater) | | 4.55 μg/L |
| Marine water | | 45.5 ng/L |
| Marine water sediment | | 9.26 μg/kg |
| Sewage treatment plant | | 10 mg/L |
| Soil | | 18.3 μg/kg |
| | | |

glycerol

| Route of exposure: | Duration of Exposure: | PNEC: |
|------------------------|-----------------------|-------|
| Sewage treatment plant | | 1 g/L |

hexyl D-glucoside

| nexyr b-glacoside | | |
|-----------------------------------|-----------------------|--------------|
| Route of exposure: | Duration of Exposure: | PNEC: |
| Freshwater | | 176 μg/L |
| Freshwater sediment | | 722 μg/kg |
| Intermittent release (freshwater) | | 4.2 mg/L |
| Marine water | | 17.6 μg/L |
| Marine water sediment | | 72.2 μg/kg |
| Predators | | 111.11 mg/kg |
| Sewage treatment plant | | 100 mg/L |
| Soil | | 0,654 mg/kg |
| Soil | | 654 μg/kg |

8.2. ▼Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios



There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

| Recommended | Type/Category | Standards |
|----------------------|---------------|-----------|
| No special when used | - | - |

Hand protection

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|---|----------------------|-----------------------------|-------------------------|--|
| Nitrile - Discard immediately after use | 0.2 | > 240 | EN374-2, EN374-3, EN388 | |



Eye protection

Standards Type

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour / Odour threshold

Faint

рН

Density (g/cm³)

1.05

Kinematic viscosity

No data available

Particle characteristics

Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C)

Not applicable - product is a liquid

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)



100

Vapour pressure

Not applicable - product is a liquid

Relative vapour density

Not applicable - product is a liquid

Decomposition temperature (°C)

Not applicable - product is a liquid

Data on fire and explosion hazards

Flash point (°C)

Not applicable - product is a liquid

Flammability (°C)

Not applicable - product is a liquid

Auto-ignition temperature (°C)

Not applicable - product is a liquid

Lower and upper explosion limit (% v/v)

Not applicable

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

No data available

Solubility in fat (g/L)

No data available

9.2. Other information

Evaporation rate (n-butylacetate = 100)

Not applicable - product is a liquid

Oxidizing properties

Not applicable

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

▼ Acute toxicity

Product/substance tetrapotassium pyrophosphate

Species: Rat Route of exposure: Oral Test: LD50

Result: $> 2000 \text{ mg/kg} \cdot$

Product/substance 2-Propylheptanol ethoxylate

Species: Rat Route of exposure: Oral Test: LD50



300-2000 mg/kg · Result:

Product/substance

hexyl D-glucoside

Species:

Rabbit

Route of exposure: Test:

Dermal LD50

Result:

>2000 mg/kg

Product/substance

hexyl D-glucoside

Species:

Rat Oral

Route of exposure: Test:

LD50

Result:

>2000 mg/kg

Product/substance

disodium metasilicate

Species: Route of exposure: Rat Dermal

Test: Result: LD50 >5000 mg/kg

Product/substance

disodium metasilicate

Species:

Rat Dermal

Route of exposure: Test:

LD50

Result:

 $> 5000 \text{ mg/kg} \cdot$

Product/substance

2-Propylheptanol ethoxylate

Route of exposure: Test:

Inhalation LC50

Result:

> 20,1 mg/l ·

Product/substance

2-Propylheptanol ethoxylate

Species:

Rat Oral

Route of exposure: Test:

LD50

Result:

> 2000 mg/kg

Product/substance

glycerol

Species:

Rat

Route of exposure:

Oral

Test:

LD50

Result:

> 2000 mg/kg ·

▼ Skin corrosion/irritation

Product/substance

2-Propylheptanol ethoxylate

Result:

No adverse effect observed (Not irritating)

Product/substance

Result:

hexyl D-glucoside

No adverse effect observed (Not irritating)

Product/substance

disodium metasilicate **OECD 404**

Test method: Species:

Rabbit

Result:

Adverse effect observed (Corrosive)

Product/substance

Result:

No adverse effect observed (Not irritating)

Causes severe skin burns and eye damage.

▼ Serious eye damage/irritation

Product/substance

2-Propylheptanol ethoxylate

Result:

Adverse effect observed (Causes serious eye damage)

Product/substance

hexyl D-glucoside



Result: Adverse effect observed (Causes serious eye damage)

Product/substance disodium metasilicate

Species: Rabbit

Result: Adverse effect observed (Corrosive)

Product/substance glycerol

Result: No adverse effect observed (Not irritating)

Causes serious eye damage.

▼ Respiratory sensitisation

Product/substance hexyl D-glucoside
Test method: OECD 406
Species: Guinea pig

Result: No adverse effect observed (not sensitising)

▼ Skin sensitisation

Product/substance 2-Propylheptanol ethoxylate

Result: No adverse effect observed (not sensitising)

Product/substance disodium metasilicate

Test method: OECD 429 Species: Mouse

Result: No adverse effect observed (not sensitising)

▼ Germ cell mutagenicity

Product/substance hexyl D-glucoside

Species: Mouse

Conclusion: No adverse effect observed

Product/substance disodium metasilicate
Conclusion: No adverse effect observed

Product/substance glycerol

Conclusion: No adverse effect observed

Carcinogenicity

Product/substance disodium metasilicate
Conclusion: No adverse effect observed

Reproductive toxicity

Product/substance disodium metasilicate
Species: Rat, Sprague-Dawley, female
Result: >159 mg/kg bw/day
Conclusion: No adverse effect observed

STOT-single exposure

Product/substance disodium metasilicate

Route of exposure: Inhalation

Conclusion: Adverse effect observed

▼ STOT-repeated exposure

Product/substance 2-Propylheptanol ethoxylate

Result: 50-700 mg/kg

Product/substance disodium metasilicate
Conclusion: No adverse effect observed

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

▼ Endocrine disrupting properties



Product/substance Conclusion:

2-Propylheptanol ethoxylate No adverse effect observed

Other information

None known.

SECTION 12: Ecological information

12.1. ▼ Toxicity

Product/substance tetrapotassium pyrophosphate

Species: Fish
Duration: 96 hours
Test: LC50
Result: > 100 mg/l ⋅

Product/substance tetrapotassium pyrophosphate

Species: Daphnia
Duration: 48 hours
Test: LC50
Result: > 100 mg/l·

Product/substance 2-Propylheptanol ethoxylate Species: Fish, Oncorhynchus mykiss

 Duration:
 96 hours

 Test:
 LC50

 Result:
 10-100 mg/L

Product/substance 2-Propylheptanol ethoxylate

Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 10-100 mg/l·

Product/substance 2-Propylheptanol ethoxylate Species: Algae, Scenedesmus subspicatus

Duration: 72 hours Result: 10-100 mg/L

Product/substance hexyl D-glucoside

Species: Fish, Oncorhynchus mykiss

Duration: 96 hours
Test: LC50
Result: >100 mg/L

Product/substance hexyl D-glucoside Species: Daphnia, Daphnia magna

Duration: 48 hours
Test: EC50
Result: >100 mg/L

Product/substance hexyl D-glucoside

Species: Algae, Scenedesmus quadricauda

Duration: 72 hours
Test: EC50
Result: >100 mg/L

Product/substance hexyl D-glucoside

Species: Algae
Duration: 72 hours
Test: NOEC
Result: >100 mg/L

Product/substance hexyl D-glucoside Species: Daphnia

Gulvvask 2 i 1, med parfume



Test: NOEC Result: 1-10 mg/L

Product/substance disodium metasilicate Species: Fish, Danio rerio

Duration: 96 hours
Test: LC50
Result: 210 mg/L

Product/substance disodium metasilicate

Test method: OECD 202

Species: Daphnia, Daphnia magna
Duration: 48 hours
Test: EC50
Result: 1700 mg/L

Product/substance disodium metasilicate

Test method: DIN 38412

Species: Algae, Scenedesmus subspicatus

 Duration:
 72 hours

 Test:
 EC50

 Result:
 > 345,4 mg/L

Product/substance 2-Propylheptanol ethoxylate

Species: Fish
Duration: 96 hours
Test: LC50
Result: 1-10 mg/L

Product/substance 2-Propylheptanol ethoxylate

Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 1-10 mg/L

Product/substance 2-Propylheptanol ethoxylate

Species: Algae
Duration: 72 hours
Test: EC50
Result: 10-100 mg/L

Product/substance glycerol

Species: Fish, Carassius auratus

Duration: 24 hours Test: LC50

Result: $> 5.000 \text{ mg/l} \cdot$

Product/substance glycerol
Species: Daphnia
Duration: 24 hours
Test: LC50
Result: 10.000 mg/l·

12.2. ▼ Persistence and degradability

Product/substance 2-Propylheptanol ethoxylate

Biodegradable: Yes

Test method: OECD 301 D

Product/substance hexyl D-glucoside

Biodegradable: Yes

Test method: OECD 301 D

Product/substance 2-Propylheptanol ethoxylate

Biodegradable: Yes

Test method: OECD 301 D



Result: >60%

Product/substance glycerol Biodegradable: Yes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼ Bioaccumulative potential

Product/substance hexyl D-glucoside

Potential bioaccumulation: No LogKow: 1,7500

BCF: No data available.

Product/substance disodium metasilicate

Potential bioaccumulation: No

LogKow: No data available. BCF: No data available.

Product/substance glycerol Potential bioaccumulation: No

LogKow: No data available.

BCF: 3,16

12.4. Mobility in soil

No data available.

12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 15* Alkalines Waste group H Waste group H

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 14.2 UN / ID UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|-----|---|--|-------------|---------------|--|
| ADR | UN1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | Transport hazard class: 8 Label: 8 Classification code: C9 | III | No | Limited quantities: 5 L Tunnel restriction code: (E) |



| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|------|-----------------|--|--|-------------|---------------|---|
| | | | 8 | | | See below for additional information. |
| IMDG | UN1760 | CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | Transport hazard class: 8 Label: 8 Classification code: C9 | III | No | Limited quantities: 5 L EmS: F-A S-B See below for additional information. |
| IATA | UN1760 | CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | Transport hazard class: 8 Label: 8 Classification code: C9 | III | No | See below for additional information. |

^{*} Packing group

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2X

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

5% - 15%

- · Non-ionic surfactants
- < 5%
- · Phosphates
- · Perfumes

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Tactile warning.

^{**} Environmental hazards



If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 19 = Hand-mixing with intimate contact and only PPE available

PROC 28 = Manual maintenance (cleaning and repair) of machinery

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

ERC 8b = Wide dispersive indoor use of reactive substances in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail



RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼ The safety data sheet is validated by

RH

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en