

SAFETY DATA SHEET

Lampeolie

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Lampeolie

Product no.

403

Unique formula identifier (UFI) 41MK-730Q-600X-GV7U

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industrial purposes

Use descriptors (UK REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	Description
PROC28	Manual maintenance (cleaning and repair) of machinery
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
Environmental release category	Description
ERC8a	Wide dispersive indoor use of processing aids in open systems
ERC8b	Wide dispersive indoor use of reactive substances in open systems
ERC8d	Wide dispersive outdoor use of processing aids in open systems

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S Gl. Struervej 50 7500 Holstebro Denmark +45 9740 3133 +45 9740 4846 www.jyskkemi.dk Contact person Rikke Hunskjær E-mail rikke@jyskkemi.dk



```
Revision
      06/10/2022
   SDS Version
      1.0
1.4. Emergency telephone number
      Contact The National Poisons Information Service (dial 111, 24 h service).
      See section 4 "First aid measures".
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
      Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.
2.2. Label elements
   Hazard pictogram(s)
  Signal word
      Danger
  Hazard statement(s)
      May be fatal if swallowed and enters airways. (H304)
   Safety statement(s)
      General
      Prevention
      Response
         IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)
         Do NOT induce vomiting. (P331)
      Storage
      Disposal
         Dispose of contents/container to an approved waste disposal plant. (P501)
   Hazardous substances
      Hydrocarbons, C15-20
      White mineral oil (petroleum)
      Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
   Additional labelling
      EUH066, Repeated exposure may cause skin dryness or cracking.
2.3. Other hazards
  Additional warnings
      This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT
      and/or vPvB.
      This product does not contain any substances considered to be endocrine disruptors in accordance with the
      criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
SECTION 3: Composition/information on ingredients
3.2 Mixtures
```

```
Product/substance Identifiers % w/w Classification Note
```



Hydrocarbons, C15-20	CAS No.: 1335203-17-2	40-60%	Asp. Tox. 1, H304	
	EC No.: 934-956-3			
	UK-REACH:			
	Index No.:			
White mineral oil (petroleum)	CAS No.: 8042-47-5	25-40%	Asp. Tox. 1, H304	[19]
(petroleulit)	EC No.: 232-455-8			
	UK-REACH:			
	Index No.:			
Hydrocarbons, C14-C18, n-alkanes, isoalkanes,	CAS No.:	25-40%	EUH066 Asp. Tox. 1, H304	
cyclics, <2% aromatics	EC No.: 927-632-8		, op. 10, 1, 1001	
	UK-REACH:			
	Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.



4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)



This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

White mineral oil (petroleum)

Duration	Route of exposure	DNEL
Long term – Systemic effects	Dermal	220 mg/kg/dag
Long term – Systemic effects - General population	Dermal	93.02 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	217.05 mg/kg bw/day
Long term – Systemic effects	Inhalation	160 mg/m3
Long term – Systemic effects - General population	Inhalation	34.78 mg/m ³
Long term – Systemic effects - Workers	Inhalation	164.56 mg/m³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards	
А	Class 2 (medium capacity)	Brown	EN14387	

Skin protection



	Recommended	Type/Category	St	andards	
	No special when used as intended.	-	-		
Han	nd protection				
	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	Neoprene - Discard immediately after use	0.6	> 240	EN374-2, EN374-3, EN388	
Eye	protection				
	Туре	Standards			
TIO	N 9: Physical and chemi	cal properties			

```
9.1
   Physical state
      Liquid
   Colour
      Clear
   Odour / Odour threshold
      Mild
   pН
      Not applicable
   Density (g/cm<sup>3</sup>)
      0.817 (15 °C)
   Kinematic viscosity
      4.6 mm<sup>2</sup>/s (20 °C)
   Particle characteristics
      Not applicable - product is a liquid
Phase changes
   Melting point/Freezing point (°C)
      -20,0000000
   Softening point/range (waxes and pastes) (°C)
      Does not apply to liquids.
   Boiling point (°C)
      250-280
   Vapour pressure
      < 0,01 kPa (20 °C)
   Relative vapour density
      Testing not relevant or not possible due to the nature of the product.
   Decomposition temperature (°C)
      No data available
Data on fire and explosion hazards
   Flash point (°C)
      115
   Ignition (°C)
      200
   Auto flammability (°C)
```



Solubility in fat (g/L)	ent or not possible due to the nature of the product. or not possible due to the nature of the product. vlacetate = 100)
SECTION 10: Stability and re	eactivity
 10.3. Possibility of hazardou None known. 10.4. Conditions to avoid None known. 10.5. Incompatible materia Strong acids, strong 10.6. Hazardous decomposition 	ls bases, strong oxidizing agents, and strong reducing agents.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard Acute toxicity	d classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law
Product/substance Test method Species Route of exposure Test Result Other information	Hydrocarbons, C15-20 Rat Oral LD50 > 5000 mg/kgbw

Product/substance	Hydrocarbons, C15-20
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	> 5266 mg/m³
Other information	



Product/substance	Hydrocarbons, C15-20
Test method	Rat
Species	Dermal
Route of exposure	LD50
Test	
Result	3160 mg/kg
Other information	
Product/substance	White mineral oil (petroleum)
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	>5000 mg/m3 ·
Other information	
Product/substance	White mineral oil (petroleum)
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>5000 mg/kg ·
Other information	
Product/substance	White mineral oil (petroleum)
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg ·
Other information	
Product/substance	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	> 5000 mg/kgbw
Other information	
Product/substance	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
	> 3160 mg/kg
Result	
Result Other information	
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics



Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	> 5266 mg/m³
Other information	

Skin corrosion/irritation

Product/substance	White mineral oil (petroleum)
Test method	OECD 404
Species	Rabbit
Duration	No data available.
Result	No adverse effect observed (Not irritating)
Other information	

Serious eye damage/irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance	White mineral oil (petroleum)
Test method	OECD 406
Species	
Result	No adverse effect observed (not sensitising)
Other information	

Germ cell mutagenicity

Product/substance	White mineral oil (petroleum)
Test method	OECD 471
Species	
Conclusion	No adverse effect observed
Other information	

Carcinogenicity

Product/substance Test method Species	White mineral oil (petroleum)
Route of exposure	
Target organ	
Duration	
Test	
Result	No carcinogenic effect via oral, dermal or inhalation exposure
Conclusion Other information	No adverse effect observed

Reproductive toxicity

Product/substance	White mineral oil (petroleum)
Test method	
Species	



Duration	
Test	OECD 416
Result	Negative
Conclusion	No adverse effect observed
Other information	

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Long term effects None known. Endocrine disrupting properties None known. Other information None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method	Hydrocarbons, C15-20
	r :-h
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	> 1028 mg/L
Other information	
Product/substance	Hydrocarbons, C15-20
Test method	
Species	Crustacean
Compartment	
Duration	48 hours
Test	LC50
Result	> 3193 mg/L
Other information	
Product/substance	White mineral oil (petroleum)
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	ECO
Result	100 mg/l ·
Other information	



Product/substance	White mineral oil (petroleum)
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	ECO
Result	100 mg/l ·
Other information	
Product/substance	White mineral oil (petroleum)
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	NOEC
Result	100 mg/l ·
Other information	
Product/substance	White mineral oil (petroleum)
Test method	
Species	Daphnia
Compartment	
Duration	21 days
Test	NOEC
Result	10-1000 mg/l ·
Other information	
Product/substance	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	> 1028 mg/L
Other information	
Product/substance	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Algae, Skeletonema costatum
Compartment	
Compartment	
Duration	72 hours
Duration Test	EC50
Duration Test Result	
Duration Test	EC50
Duration Test Result Other information Product/substance	EC50
Duration Test Result Other information Product/substance Test method	EC50 3200 mg/L Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Duration Test Result Other information Product/substance Test method Species	EC50 3200 mg/L
Duration Test Result Other information Product/substance Test method	EC50 3200 mg/L Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics



Test	IC50
Result	3193 mg/L
Other information	

12.2. Persistence and degradability

Product/substance	White mineral oil (petroleum)
Biodegradable	No
Test method	
Result	<60% (28 d)

12.3. Bioaccumulative potential

Product/substance	White mineral oil (petroleum)
Test method	
Potential	Yes
bioaccumulation	
LogPow	No data available.
BCF	No data available.
Other information	

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Waste group H Waste group H

14 06 03* Other solvents and solvent mixtures

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-



14.1 UN / ID 14.2 UN proper shipping name 14.3 Hazard class(es) 14.4 PG* 14.5 Env** Other information

IATA - - - - -

- * Packing group
- ** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

- 14.6. Special precautions for user
 - Not applicable.
- 14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

H304, May be fatal if swallowed and enters airways.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PROC28 = Manual maintenance (cleaning and repair) of machinery

PROC8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

ERC8a = Wide dispersive indoor use of processing aids in open systems

ERC8b = Wide dispersive indoor use of reactive substances in open systems

ERC8d = Wide dispersive outdoor use of processing aids in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

- CAS = Chemical Abstracts Service
- CE = Conformité Européenne



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The safety data sheet is validated by Rikke Hunskjær Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en