

SAFETY DATA SHEET

Lux Toiletrens

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
 - Trade name
 - Lux Toiletrens
 - Product no.
 - 9041
 - ▼ Unique formula identifier (UFI) 04WR-RKEE-J201-1E7V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Viscous cleaning and descaler.

Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non- dedicated facilities
PROC28	Manual maintenance (cleaning and repair) of machinery
Environmental release category	Description
ERC8a	Wide dispersive indoor use of processing aids in open systems

▼ Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S Gl. Struervej 50 7500 Holstebro Denmark +45 9740 3133 +45 9740 4846 www.jyskkemi.dk Contact person

Rikke Hunskjær

E-mail

rikke@jyskkemi.dk

Revision

13/02/2023

SDS Version

3.0

Date of previous version 15/06/2022 (2.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Skin Corr. 1B; H314, Causes severe skin burns and eye damage. Eye Dam. 1; H318, Causes serious eye damage. 2.2. Label elements Hazard pictogram(s) Signal word Danger Hazard statement(s) Causes severe skin burns and eye damage. (H314) Safety statement(s) General If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102) Prevention Wear eye protection/protective gloves. (P280) Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) ▼ Storage Store locked up. (P405) ▼ Disposal Dispose of contents/container in accordance with local regulation. (P501) Hazardous substances dodecylbenzenesulphonic acid Additional labelling UFI: 04WR-RKEE-J201-1E7V 2.3. Other hazards Additional warnings This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. SECTION 3: Composition/information on ingredients 3.1. ▼ Substances Not applicable. This product is a mixture. 3.2. ▼ Mixtures Product/substance Identifiers Classification % w/w Note dodecylbenzenesulphonic CAS No.: 27176-87-0 5-10% Acute Tox. 4, H302 acid EC No.: 248-289-4 Skin Corr. 1B, H314 **UK-REACH:** Index No.: citric acid CAS No.: 5949-29-1 Eve Irrit. 2, H319

1-3%

<1%

Lux Toiletrens

orthophosphoric acid

EC No.: 201-069-1 **UK-REACH:** Index No.:

CAS No.: 7664-38-2

Index No.: 015-011-00-6

EC No.: 231-633-2 UK-REACH:

[1]

Skin Corr. 1B, H314 (SCL: 25.00 %)



sulphuric acid	CAS No.: 7664-93-9	<0.05%	Skin Corr. 1A, H314 (SCL: 15.00 %)	[1]
	EC No.: 231-639-5		Skin Irrit. 2, H315 (SCL: 5.00 %)	
	UK-REACH:		Eye Irrit. 2, H319 (SCL: 5.00 %)	
	Index No.: 016-020-00-8			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

▼ Other information

[1] European occupational exposure limit.

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

< 5%

Perfumes

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

▼ Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

▼ Burns

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. ▼ Extinguishing media

Not applicable.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are



produced. These are: Sulphur oxides Carbon oxides (CO / CO2)

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. ▼ Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

▼ Recommended storage material

Keep only in original packaging.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

orthophosphoric acid Long term exposure limit (8 hours) (mg/m³): 1 Short term exposure limit (15 minutes) (mg/m³): 2

sulphuric acid Long term exposure limit (8 hours) (mg/m³): 0,05 (Mist) (Thoraic fraction)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

orthophosphoric acid		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,1 mg/kg legemsvægt/dag
Long term – Local effects - General population	Inhalation	0,36 mg/m³



100 µg/m³

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Long term – Local effects - General population	Inhalation	360 µg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Inhalation	4,57 mg/m³
Long term – Systemic effects - General population	Inhalation	4.57 mg/m ³
Long term – Systemic effects - Workers	Inhalation	10,7 mg/m³
Long term – Systemic effects - Workers	Inhalation	10.7 mg/m³
Short term – Local effects - Workers	Inhalation	2 mg/m ³
Short term – Local effects - Workers	Inhalation	2 mg/m ³
Long term – Systemic effects - General population	Oral	100 μg/kgbw/day
sulphuric acid		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	50 µg/m³

▼ PNEC

Short term - Local effects - Workers

citric acid		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,44 mg/L
Freshwater sediment		3,46 mg/kgbw
Marine water		0,044 mg/L
Marine water sediment		34,6 mg/kgbw
Sewage treatment plant		> 1000 mg/L
Soil		33,1 mg/kgbw

Inhalation

sulphuric acid		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,0025 mg/L
Intermittent release (freshwater)		0,002 mg/kgbw
Intermittent release (marine water)		0,002 mg/kgbw
Marine water		0,25 mg/L
Sewage treatment plant		8,8 mg/L

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

8.3. Individual protection measures, such as personal protective equipment

Generally



No specific requirem				
Recommended	Type/Category	Standard	S	
No special when used as intended	-	-		
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile - Discard immediately after use	0.2	> 240	EN374-2, EN374-3, EN388	
Latex	0.12	-	EN374-2	
Vinyl/PVC	-	> 480	EN374-3, EN388	
Eye protection				
Туре	Standards			
Wear safety glasses with side shields.	EN166			
1. Information on basic p Physical state Liquid	hysical and chemical pro	operties		
Colour Pale green				
Odour / Odour threshold Faint pH	d			
0,7 Density (g/cm³)				
1.03 Kinematic viscosity				
No data available Particle characteristics				
hase changes	or not possible due to na	ature of the product.		
-	or not possible due to na	ature of the product.		
Softening point/range (v Does not apply to liqu				
Boiling point (°C) 100				
Vapour pressure No data available				
Relative vapour density No data available				
Decomposition tempera	ture (°C)			



Data on fire and explosion hazards Flash point (°C) No data available *Ignition (°C) Testing not relevant or not possible due to the nature of the product. Auto flammability (°C) Testing not relevant or not possible due to nature of the product. Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to nature of the product. Solubility Solubility in water Completely soluble n-octanol/water coefficient No data available 92. Other information Evaporation rate (n-butylacetate = 100) No data available 92. Other information Evaporation rate (n-butylacetate = 100) No data available. 92. Other information Evaporation rate (n-butylacetate = 100) No data available. 92. Other information Evaporation rate (n-butylacetate = 100) No data available. 92. Other information Evaporation rate (n-butylacetate = 100) No data available. 92. Other information 10.1. • Reactivity No data available. 92. Incompatib		
 Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity ▼ Reactivity No data available. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". Section 2 with a stability of the product is stable under the conditions, noted in section 7 "Handling and storage". The product is stable under the conditions, noted in section 7 "Handling and storage". The product is stable under the conditions, noted in section 7 "Handling and storage". The product is stable under the conditions, noted in section 7 "Handling and storage". The product is not avoid None known. The conditions to avoid None known. Section storage bases, strong oxidizing agents, and strong reducing agents. Hazardous decomposition products The product is not degraded when used as specified in section 1. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral 	Flash point (°C) No data available ▼ Ignition (°C) Testing not relevant Auto flammability (°C) Testing not relevant Lower and upper explo Testing not relevant Solubility Solubility in water Completely soluble n-octanol/water coeffic No data available Solubility in fat (g/L) No data available 9.2. Other information	c or not possible due to the nature of the product. c or not possible due to nature of the product. sion limit (% v/v) c or not possible due to nature of the product.
No data available. SECTION 10: Stability and reactivity 10.1. ▼ Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. ▼ Possibility of hazardous reactions None known. 10.4. ▼ Conditions to avoid None known. 10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1. SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law ▼ Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral	No data available	-
 10.1. ▼Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. ▼Possibility of hazardous reactions None known. 10.4. ▼Conditions to avoid None known. 10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1. SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law ▼ Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral 		iemical parameters
No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. ▼ Possibility of hazardous reactions None known. 10.4. ▼ Conditions to avoid None known. 10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1. SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law ▼ Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral	SECTION 10: Stability and	reactivity
SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law ▼Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral	No data available. 10.2. Chemical stability The product is stable un 10.3. ▼Possibility of hazar None known. 10.4. ▼Conditions to avoid None known. 10.5. Incompatible materi Strong acids, strong ba	rdous reactions d als ses, strong oxidizing agents, and strong reducing agents.
 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law ✓ Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral 	The product is not degr	aded when used as specified in section 1.
 ▼ Acute toxicity Product/substance dodecylbenzenesulphonic acid Test method: Species: Rat Route of exposure: Oral 	SECTION 11: Toxicologica	l information
Test: ID50	 Acute toxicity Product/substance Test method: Species: Route of exposure: 	dodecylbenzenesulphonic acid Rat Oral

Test: Result: Other information:	LD50 1150 mg/kg ·
Product/substance Test method: Species: Route of exposure: Test: Result: Other information:	citric acid Rat Oral LD50 3000 mg/kg ·
Product/substance Test method: Species: Route of exposure:	orthophosphoric acid Rat Inhalation



Test:	LC50 (2 hours)
Result: Other information:	850 mg/L
Other Information.	
Product/substance Test method:	orthophosphoric acid
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result: Other information:	2740 mg/kg
Product/substance	sulphuric acid
Test method:	
Species:	Rat
Route of exposure:	Oral
Test: Result:	LD50 2140 mg/kg ·
Other information:	2140 mg/kg *
Product/substance Test method:	sulphuric acid OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (4 hours)
Result: Other information:	375 mg/m³
Other information.	
kin corrosion/irritation	
Causes severe skin b	urns and eye damage.
erious eye damage/irri	itation
Causes serious eye d	amage.
espiratory sensitisation Based on available d	n ata, the classification criteria are not met.
ikin sensitisation Based on available d	ata, the classification criteria are not met.
Germ cell mutagenicity Based on available d	ata, the classification criteria are not met.
Carcinogenicity Based on available d	ata, the classification criteria are not met.
Reproductive toxicity	ata, the classification criteria are not met.
TOT-single exposure	ata, the classification criteria are not met.
TOT-repeated exposur	
spiration hazard	
	ata, the classification criteria are not met.
1.2. Information on ot	•
Long term effects	
Tissue-damaging effe	ects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols e effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal with the eye cause irreversible effects.
Endocrine disrupting None known.	•
Other information	on classified by IAPC as a group 1 carcinogon

sulphuric acid has been classified by IARC as a group 1 carcinogen.

SECTION 12: Ecological information

12.1. ▼Toxicity Product/substance dodecylbenzenesulphonic acid Test method:



Species:	Fish
Compartment:	
Duration:	7 days
Test:	LC50
Result:	1-5 mg/l ·
Other information:	
Product/substance	dedesuberzenesulehenis erid
	dodecylbenzenesulphonic acid
Test method:	
Species:	Daphnia
Compartment:	
Duration:	48 hours
Test:	IC50
Result:	5-15 mg/l ·
Other information:	-
Product/substance	citric acid
Test method:	
Species:	Fish
Compartment:	
Duration:	7 days
Test:	LC50
Result:	440-760 mg/l ·
Other information:	
Droduct/cubatara	citric poid
Product/substance	citric acid
Test method:	
Species:	Crustacean
Compartment:	
Duration:	No data available.
Test:	EC50
Result:	> 10000 mg/l ·
Other information:	
Product/substance Test method:	orthophosphoric acid
	Fish
Species:	FISH
Compartment: Duration:	Zideve
Test:	7 days LC50
Result:	
	138 mg/l ·
Other information:	
Product/substance	orthophosphoric acid
Test method:	Cructacoan
Species:	Crustacean
Compartment:	49 hours
Duration:	48 hours
Test:	EC50
Result: Other information:	>100 mg/l ·
other information:	
Product/substance	orthophosphoric acid
Test method:	
Species:	Algae
Compartment:	
Duration:	72 hours
Test:	NOEC
Result:	100 mg/l ·
Other information:	
Product/substance	sulphuric acid
Test method:	
Species:	Fish, Lepomis macrochirus
Compartment:	
Duration:	
	96 hours
Test:	Jo nours LC50



Result: Other information:	16-28 mg/L	
Product/substance Test method:	sulphuric acid	
Species: Compartment:	Daphnia, Daphnia magna	
Duration:	48 hours	
Test:	EC50	
Result:	> 100 mg/l ·	
Other information:		
Product/substance Test method:	sulphuric acid	
Species: Compartment:	Crustacean	
Duration:	120 hours	
Test:	EC50	
Result:	58 mg/l ·	
Other information:		
Product/substance Test method:	sulphuric acid	
Species:	Algae, Selenastrum capricornutum	
Compartment:		
Duration:	72 hours	
Test:	IC50	
Result:	> 100 mg/L	
Other information:		
.2. v Persistence and	degradability	
Product/substance	dodecylbenzenesulphonic acid	
Biodegradable:	Yes	
Test method:	OECD 301 D	
Result:	>70%	
Product/substance	citric acid	
Biodegradable:	Yes	
Test method:	OECD 301 B	
Result:	97%	

Product/substance	orthophosphoric acid
Test method:	
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

12.4. ▼ Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. ▼Endocrine disrupting properties None known.
- 12.7. ▼ Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 8 – Corrosive Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.



EWC code

20 01 14* Acids Waste Group X Waste Group X

▼ Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	1760	CORROSIVE LIQUID, N.O.S. (sulfonic acid)	Class: 8 Labels: 8 Classification code: C9	III	No	Limited quantities 5 L Tunnel restriction code: 3 (E) See below for additional information.
IMDG	1760	CORROSIVE LIQUID, N.O.S. (sulfonic acid)	Class: 8 Labels: 8 Classification code: C9	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	1760	CORROSIVE LIQUID, N.O.S. (sulfonic acid)	Class: 8 Labels: 8 Classification code: C9	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: None

14.6. ▼ Special precautions for user

Not applicable.

14.7. ▼ Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

People under the age of 18 shall not be exposed to this product.

- Demands for specific education No specific requirements.
- SEVESO Categories / dangerous substances Not applicable.
- Regulation on drug precursors

sulphuric acid is included (Category 3)



Regulation on explosives precursors sulphuric acid (Annex I)

Additional information

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

▼ Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

The Controlled Drugs (Drug Precursors) Regulations 2008.

Council Regulation (EC) No 2019/1148 on explosives precursors as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

PROC28 = Manual maintenance (cleaning and repair) of machinery

PC35 = Washing and Cleaning Products (including solvent based products)

ERC8a = Wide dispersive indoor use of processing aids in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit



SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼ The safety data sheet is validated by

Rikke Hunskjær

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en