

SAFETY DATA SHEET

## Sanitetsrens, uden parfume

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Sanitetsrens, uden parfume

Product no.

810

#### Unique formula identifier (UFI) UAA7-Y75P-200P-1Y6N

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Washing Sanitation

## Use descriptors (UK REACH)

nsumer uses: Private households (= general public = consumers) ofessional uses: Public domain (administration, education, entertainment, services, craftsmen) scription
scription
shing and Cleaning Products (including solvent based products)
scription
nual maintenance (cleaning and repair) of machinery
nd-mixing with intimate contact and only PPE available
nsfer of substance or preparation (charging/discharging) from/to vessels/large containers at non- dicated facilities
scription
de dispersive indoor use of processing aids in open systems
de dispersive indoor use of reactive substances in open systems
s r n s

Uses advised against None known.

## 1.3. Details of the supplier of the safety data sheet

Company and address Jysk Kemi Service A/S

Gl. Struervej 50 7500 Holstebro Denmark +45 9740 3133 +45 9740 4846 www.jyskkemi.dk Contact person Rikke Hunskjær

E-mail

rikke@jyskkemi.dk Revision 10/08/2023

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".



SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage. Eye Dam. 1; H318, Causes serious eye damage.

## 2.2. Label elements

Hazard pictogram(s)



## Signal word

Danger

## Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

#### Precautionary statement(s)

## General

If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)

#### Prevention

Wear eye protection/face protection/protective gloves. (P280)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

#### Storage

## Disposal

Dispose of contents/container in accordance with local regulation (P501)

#### Hazardous substances

2-Propylheptanol ethoxylate hexyl D-glucoside Additional labelling

## UFI: UAA7-Y75P-200P-1Y6N

2.3. Other hazards

## Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
citric acid	CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.:	10-15%	Eye Irrit. 2, H319	Hote
2-Propylheptanol ethoxylate	CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	
hexyl D-glucoside	CAS No.: 54549-24-5 EC No.: 259-217-6	1-3%	Eye Dam. 1, H318	



UK-REACH:	
Index No.:	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law 5% - 15%

## · Non-ionic surfactants

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact



The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: None

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances. Contaminated areas may be slippery.
- 6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill
- 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## Recommended storage material

Keep only in original packaging.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

hexy	l D-gl	lucoside

Duration:	Route of exposure:	DNEL:
Long term	Dermal	595 mg/kg
Long term	Inhalation	420 mg/m3

#### PNEC

citric acid

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,44 mg/L
Freshwater sediment		3,46 mg/kgbw
Marine water		0,044 mg/L
Marine water sediment		34,6 mg/kgbw
Sewage treatment plant		> 1000 mg/L



hexyl D-glucoside				33,1 mg/kgbw
Tienyi D-giucosiue				
Route of exposure:		Duration	of Exposure:	PNEC:
Soil				0,654 mg/kg
2. Exposure controls				
	/ if the product is used as i	ntended.		
General recommenda				
	and consumption of food i	is not allowed in the work	area.	
Exposure scenarios	ura ccaparias implemente	d for this product		
Exposure limits	sure scenarios implemente	ea for this product.		
	sure limits have not been o	defined for the substances	in this product.	
Appropriate technical				
Ensure that eyewa	sh stations and safety show			
	cautions during use of the	product. Avoid inhalation	of vapours.	
Hygiene measures	he are duct and at the and	l of the working day all av	accod areas of the	hody must be weekee
In hotwoon use of		i of the working day all exp	bosed areas of the	body must be washed
In between use of thoroughly, Always				
thoroughly. Always	wash hands, forearms an			
thoroughly. Always Measures to avoid env	wash hands, forearms an	d face.	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma	wash hands, forearms an vironmental exposure	d face. . If possible, collect spillag	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p	d face. . If possible, collect spillag	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse.	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen No specific require	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen No specific require Skin protection	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t ments <b>Type/Category</b>	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid env Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen No specific require Skin protection Recommended No special when use	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t ments <b>Type/Category</b>	d face. . If possible, collect spillag rotective equipment	e during work.	
thoroughly. Always Measures to avoid envices Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipment No specific require Skin protection Recommended No special when use as intended.	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t ments <b>Type/Category</b>	d face. . If possible, collect spillag rotective equipment	e during work. Standards	
thoroughly. Always Measures to avoid envices Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen No specific require Skin protection Recommended No special when use as intended. Hand protection	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t ments <b>Type/Category</b> d -	d face. . If possible, collect spillag rotective equipment		
thoroughly. Always Measures to avoid envices Keep damming ma dividual protection me Generally Wash contaminate Use only UKCA ma Respiratory Equipmen No specific require Skin protection Recommended No special when use as intended. Hand protection Material	wash hands, forearms an vironmental exposure terials near the workplace asures, such as personal p d clothing before reuse. rked protective equipment t ments <b>Type/Category</b> d - <b>Glove thickness (mm)</b>	d face. . If possible, collect spillag rotective equipment	Standards	

Clear Odour / Odour threshold Faint pH 1,5 pH in solution 2,6 (1%) Density (g/cm<sup>3</sup>) 1.05 Kinematic viscosity



No data available Particle characteristics Not applicable - product is a liquid Phase changes Melting point/Freezing point (°C) Not applicable - product is a liquid Softening point/range (waxes and pastes) (°C) Does not apply to liquids. Boiling point (°C) 100 Vapour pressure Not applicable Relative vapour density Not applicable Decomposition temperature (°C) Not applicable Data on fire and explosion hazards Flash point (°C) Not applicable - flash point > 200°C Flammability (°C) The material is not combustible. Auto-ignition temperature (°C) Not applicable Lower and upper explosion limit (% v/v) Not applicable Solubility Solubility in water Completely soluble n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Oxidizing properties Testing not relevant or not possible due to the nature of the product. Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid None known. 10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products Thermal decomposition may produce corrosive vapours. SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity Product/substance citric acid

Product/substance	citri
Species:	Rat



Route of exposure:	Oral
Test:	LD50
Result:	3000 mg/kg ·
Product/substance	2-Propylheptanol ethoxylate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	300-2000 mg/kg ·
Product/substance	hexyl D-glucoside
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg ·

Product/substance Species:	hexyl D-glucoside Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg ·

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### Endocrine disrupting properties

Not applicable.

#### Other information

None known.

#### SECTION 12: Ecological information

#### 12.1. Toxicity

2.1. TOAICILY			
Product/substance	citric acid		
Species:	Fish		
Duration:	7 days		
Test:	LC50		
Result:	440-760 mg/l ·		
Product/substance	citric acid		
Species:	Crustacean		



	· · · · · · · · · · · · · · · · · · ·
Duration:	No data available.
Test:	EC50
Result:	> 10000 mg/l ·
Product/substance	2-Propylheptanol ethoxylate
Species:	Fish
Duration:	7 days
Test:	LC50
Result:	10-100 mg/l ·
Product/substance	2-Propylheptanol ethoxylate
Species:	Daphnia 48 hours
Duration: Test:	EC50
Result:	10-100 mg/l ·
Product/substance	hexyl D-glucoside
Species:	Fish
Duration: Test:	7 days LC50
Result:	420 mg/l ·
Product/substance	hexyl D-glucoside
Species: Duration:	Daphnia 48 hours
Test:	EC50
Result:	490 mg/l ·
12.2. Persistence and degr	-
Product/substance	citric acid
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	97%
Product/substance	2-Propylheptanol ethoxylate
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	> 60%
Product/substance	hexyl D-glucoside
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	>70%
12.3. Bioaccumulative pote	
Product/substance	hexyl D-glucoside
Test method:	
Potential bioaccumulation:	: No 1,7500
LogPow: BCF:	No data available.
Other information:	
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vP	WB assessment
	bes not contain any substances considered to meet the criteria classifying them as PBT and/or
vPvB.	ses not contain any substances considered to meet the criteria classifying them as FDT and/of
12.6. Endocrine disrupting	properties
Not applicable.	properties
12.7. Other adverse effects	
None known.	

SECTION 13: Disposal considerations

## Waste treatment methods



Product is covered by the regulations on hazardous waste. HP 8 – Corrosive Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code 20 01 14\* Acids Waste Group X Waste Group X Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	1760	CORROSIVE LIQUID, N.O.S. (Citric acid)	Transport hazard class: 8 Label: 8 Classification code: C9	III	No	Limited quantities: 5 L Tunnel restriction code: 3 (E) See below for additional information.
IMDG	1760	CORROSIVE LIQUID, N.O.S. (Citric acid)	Transport hazard class: 8 Label: 8 Classification code: C9	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
ΙΑΤΑ	1760	CORROSIVE LIQUID, N.O.S. (Citric acid)	Transport hazard class: 8 Label: 8 Classification code: C9	III	No	See below for additional information.

#### \* Packing group

\*\* Environmental hazards

#### Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

## Hazchem Code: None

14.6. Special precautions for user Not applicable.

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application People under the age of 18 shall not be exposed to this product.
Demands for specific education No specific requirements.
SEVESO - Categories / dangerous substances Not applicable.



#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

#### Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment

No

SECTION 16: Other information

## Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

## The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 28 = Manual maintenance (cleaning and repair) of machinery

PROC 19 = Hand-mixing with intimate contact and only PPE available

PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

ERC 8b = Wide dispersive indoor use of reactive substances in open systems

## Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number



SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pHcriterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## The safety data sheet is validated by

RH Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en