## SAFETY DATA SHEET

# Tøjvask Svanemærket

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Tøjvask Svanemærket

Product no.

543

Unique formula identifier (UFI)

50DU-445D-700A-A5E2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Washing powder

Use descriptors (REACH)

Sectors of use	Description		
LCS "C"	Consumer uses: Private households (= general public = consumers)		
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)		
Product category	Description		
PC35	Washing and Cleaning Products (including solvent based products)		
Process category	Description		
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities		
PROC 28	Manual maintenance (cleaning and repair) of machinery		
Environmental release category	Description		
ERC8a	Wide dispersive indoor use of processing aids in open systems		
ERC8b	Wide dispersive indoor use of reactive substances in open systems		

## Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

## Jysk Kemi Service A/S

Gl. Struervej 50

7500 Holstebro

Denmark

+45 9740 3133

+45 9740 4846

www.jyskkemi.dk

Contact person

Tøjvask Svanemærket Page 1 of 12

Rikke Hunskjær

E-mail

rikke@jyskkemi.dk

Revision

22-10-2021

**SDS Version** 

1.0

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

#### 2.2. Label elements

Hazard pictogram(s)



#### Signal word

Warning

Hazard statement(s)

Causes serious eye irritation. (H319)

Safety statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Prevention

## Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Disposal

#### Hazardous substances

No special

# 2.3. Other hazards

Additional labelling

Not applicable

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Product/substance Identifiers % w/w Classification Note
---

Tøjvask Svanemærket Page 2 of 12



Ethoxyleret alkohol C12-14 5-10% CAS No.: 68439-50-9

EC No.: 500-213-3

REACH: 01-2119487984-16-

XXXX

Index No.:

Acute Tox. 4, H302

Eye Dam. 1, H318 (SCL: 10.00 %) Aquatic Chronic 3, H412

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

No special

## Labelling of contents according to Detergents Regulation (EC) No 648/2004

5% - 15%

- · Non-ionic surfactants
- < 5%
- · Enzymes

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### **Burns**

Not applicable

## 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may produce an allergic reaction through inhalation. The allergic reaction typically takes place within an hour after exposure. The reaction results in an inflammatory reaction to the lungs.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Page 3 of 12 Tøjvask Svanemærket

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Not applicable

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## Recommended storage material

Always store in containers of the same material as the original container.

#### Storage temperature

> 0°C

## Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Tøjvask Svanemærket Page 4 of 12

propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020)

#### **DNEL**

Product/substance propane-1,2-diol DNEL 186 mg/m3
Route of exposure Inhalation

Duration Long term – Systemic effects - Workers

Product/substance propane-1,2-diol DNEL 50 mg/m3
Route of exposure Inhalation

Duration Long term – Systemic effects - General population

Product/substance propane-1,2-diol DNEL 10 mg/m3
Route of exposure Inhalation

Duration Long term – Local effects - General population

Product/substance propane-1,2-diol DNEL 10 mg/m3
Route of exposure Inhalation

Duration Long term – Local effects - Workers

## **PNEC**

No data available

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

## Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

## Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements

## Individual protection measures, such as personal protective equipment

## Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

No specific requirements

Tøjvask Svanemærket Page 5 of 12

## Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

## Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Vinyl/PVC - Discard immediately after use	0.12	-	EN374-2	

#### Eye protection

Туре	Standards

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour / Odour threshold

Faint

pH 8,3

Density (g/cm³)

1.02

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C)

Not applicable - product is a liquid

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100.00 °C

Vapour pressure

Not applicable - product is a liquid

Relative vapour density

Not applicable - product is a liquid

Decomposition temperature (°C)

Not applicable - product is a liquid

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Not applicable - product is a liquid

Tøjvask Svanemærket Page 6 of 12

## Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

#### Solubility

Solubility in water

Soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

#### 9.2. Other information

Evaporation rate (n-butylacetate = 100)

Not applicable - product is a liquid

Other physical and chemical parameters

No data available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

## 10.3. Possibility of hazardous reactions

No special

#### 10.4. Conditions to avoid

No special

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance propane-1,2-diol

Test method

Species Rat
Route of exposure Oral
Test LD50

Result 22000 mg/kg ·

Other information

Product/substance propane-1,2-diol

Test method

 $\begin{array}{lll} \text{Species} & \text{Rabbit} \\ \text{Route of exposure} & \text{Inhalation} \\ \text{Test} & \text{LC50} \\ \text{Result} & > 317 \text{ mg/l} \cdot \end{array}$ 

Tøjvask Svanemærket Page 7 of 12

#### Other information

Product/substance

propane-1,2-diol

Test method

Species Rabbit
Route of exposure Dermal
Test LD50
Result >2000 mg/kg ·

Other information

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2 Information on other hazards

## Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

## **Endocrine disrupting properties**

No special

#### Other information

No special

## SECTION 12: Ecological information

## 12.1. Toxicity

Product/substance propane-1,2-diol

Test method

Species Crustacean

Compartment

 $\begin{array}{ll} \text{Duration} & 18 \text{ hours} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 20.000 \text{ mg/l} \cdot \end{array}$ 

Tøjvask Svanemærket Page 8 of 12

#### Other information

Product/substance

propane-1,2-diol

Test method

Species Daphnia

Compartment

 $\begin{array}{lll} \text{Duration} & 48 \text{ hours} \\ \text{Test} & \text{EC50} \\ \text{Result} & 43500 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance

propane-1,2-diol

Test method

Species Fish

Compartment

Duration 7 days Test LC50

Result 40613 mg/l·

Other information

## 12.2. Persistence and degradability

Product/substance propane-1,2-diol

Biodegradable Yes

Test method OECD 301 F Result 81,7%

## 12.3. Bioaccumulative potential

Product/substance propane-1,2-diol

Test method

Potential No data available

bioaccumulation

LogPow No data available

BCF 0.09

Other information

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

## 12.6. Endocrine disrupting properties

No special

# 12.7. Other adverse effects

No special

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Avoid discharge to lakes, streams, sewers, etc.

Dispose of contents/container to an approved waste disposal plant.

Tøjvask Svanemærket Page 9 of 12

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

20 01 15\* Alkalines

Waste

Waste group H

group H

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

#### 14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

**IMDG** 

Not applicable

MARINE POLLUTANT

Nο

**IATA** 

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

## Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents. Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

15.2. Chemical safety assessment

No

Tøjvask Svanemærket Page 10 of 12



#### SECTION 16: Other information

## Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H412, Harmful to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 28 = Manual maintenance (cleaning and repair) of machinery

PC35 = Washing and Cleaning Products (including solvent based products)

ERC8a = Wide dispersive indoor use of processing aids in open systems

ERC8b = Wide dispersive indoor use of reactive substances in open systems

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

Tøjvask Svanemærket Page 11 of 12

vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

## The safety data sheet is validated by

RH

# Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

Tøjvask Svanemærket Page 12 of 12