SAFETY DATA SHEET

Truck Cleaner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Truck Cleaner

Product no.

2771

Unique formula identifier (UFI)

08QF-W25T-000E-QGVX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Alkaline cleaner.

Use descriptors (UK REACH)

Sectors of use	**Description**
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	**Description**
PC35	Washing and Cleaning Products (including solvent based products)
Process category	**Description**
PROC28	Manual maintenance (cleaning and repair) of machinery
PROC19	Hand-mixing with intimate contact and only PPE available
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
Environmental release category	**Description**
ERC8a	Wide dispersive indoor use of processing aids in open systems
ERC8d	Wide dispersive outdoor use of processing aids in open systems

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Jysk Kemi Service A/S
Gl. Struervej 50
7500 Holstebro
Denmark
+45 9740 3133
+45 9740 4846
www.jyskkemi.dk

Contact person

Rikke Hunskjær

E-mail

rikke@jyskkemi.dk

Revision

28/02/2023

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1A; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.
Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)

Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)
Harmful to aquatic life with long lasting effects. (H412)

Safety statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)

Prevention

Do not breathe vapour/mist. (P260)
Wear eye protection/face protection/protective gloves. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation. (P501)

Hazardous substances

Sodium Laureth sulfate
sodium hydroxide
dodecyldimethylamine oxide

Additional labelling

UFI: 08QF-W25T-000E-QGVX

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sodium Laureth sulfate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	[19]
sodium hydroxide	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH:	5-10%	Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Corr. 1A, H314 Skin Irrit. 2, H315 (SCL: 0.50 %)	

	Index No.: 011-002-00-6		Eye Irrit. 2, H319 (SCL: 0.50 %)
dodecyldimethylamine oxide	CAS No.: 308062-28-4 EC No.: 931-292-6 UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)	CAS No.: 164524-02-1 EC No.: 629-764-9 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319
sodium p-cumenesulphonate	CAS No.: 15763-76-5 EC No.: 239-854-6 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

5% - 15%
· Anionic surfactants
< 5%
· Amphoteric surfactants
· Perfumes

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.
Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Sulphur oxides
Carbon oxides (CO / CO2)
Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.
Hazchem Code: 2X

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.
Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium hydroxide
Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	48 µg/cm²
Long term – Local effects - Workers	Dermal	96 µg/cm²
Long term – Systemic effects - General population	Dermal	68.1 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	191 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.6 mg/m³
Long term – Systemic effects - Workers	Inhalation	37.4 mg/m³
Long term – Systemic effects - General population	Oral	3.8 mg/kg bw/day

dodecyldimethylamine oxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population		5,5 mg/kg legemsvægt/dag
Long term – Local effects - Workers		11 mg/kg legemsvægt/dag
Long term – Systemic effects - General population		0,44 mg/kg legemsvægt/dag
Long term – Systemic effects - Workers		6,2 mg/m³

sodium hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Short term – Local effects - Workers	Inhalation	1 mg/m³

Sodium Laureth sulfate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 µg/cm²
Long term – Local effects - Workers	Dermal	132 µg/cm²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m³
Long term – Systemic effects - Workers	Inhalation	175 mg/m³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

PNEC

Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		100 µg/L
Freshwater sediment		372 µg/kg
Intermittent release (freshwater)		1 mg/L
Marine water		10 µg/L
Marine water sediment		37.2 µg/kg

Sewage treatment plant	100 mg/L
Soil	16 µg/kg

dodecyldimethylamine oxide

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,034 mg/l
Freshwater sediment		5,24 mg/kg (tør vægt)
Intermittent release		0,034 mg/l
Marine water		0,003 mg/l
Marine water sediment		0,524 mg/kg (tør vægt)
Soil		1,02 mg/kg (tør vægt)

Sodium Laureth sulfate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 µg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 µg/L
Marine water		24 µg/L
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile - Discard immediately after use	0.2	> 240	EN374-2, EN374-3, EN388

Eye protection

Type	Standards

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state
Liquid

Colour
Clear

Odour / Odour threshold
Characteristic

pH
14

pH in solution
13,6 (1%)

Density (g/cm³)
1.09

Kinematic viscosity
No data available

Particle characteristics
Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C)
Not applicable - product is a liquid

Softening point/range (waxes and pastes) (°C)
Does not apply to liquids.

Boiling point (°C)
100

Vapour pressure
No data available

Relative vapour density
No data available

Decomposition temperature (°C)
No data available

Data on fire and explosion hazards

Flash point (°C)
Not applicable - flash point > 200°C

Flammability (°C)
Not applicable - flash point > 200°C

Auto-ignition temperature (°C)
Not applicable - flash point > 200°C

Lower and upper explosion limit (% v/v)
Not applicable

Solubility

Solubility in water
Completely soluble

n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)
Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Evaporation rate (n-butylacetate = 100)
No data available

Other physical and chemical parameters
No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available.

10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions
None known.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products
The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	sodium hydroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	325 mg/kg ·

Product/substance	dodecyldimethylamine oxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2000 mg/kg ·

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	> 2000 mg/kg

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	> 5 mg/L

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 402
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	> 2000 mg/kg

Product/substance	sodium p-cumenesulphonate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg ·

Skin corrosion/irritation

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 404
Species:	Rabbit
Duration:	
Result:	Adverse effect observed (Slightly irritating)

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 405
Species:	Rabbit
Duration:	
Result:	Adverse effect observed (Moderately irritating)

Causes serious eye damage.

Respiratory sensitisation

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Skin sensitisation

Product/substance	sodium hydroxide
Species:	Rabbit
Result:	Adverse effect observed (sensitising)

Germ cell mutagenicity

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	
Conclusion:	No adverse effect observed

Carcinogenicity

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	Rat
Route of exposure:	Dermal
Target organ:	
Duration:	24 months
Test:	
Result:	
Conclusion:	No adverse effect observed

Reproductive toxicity

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	Rat
Duration:	
Test:	NOAEL
Result:	3000 mg/kg bw/day
Conclusion:	

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 408
Species:	Rat
Route of exposure:	Oral
Target organ:	
Duration:	
Test:	NOAEL
Result:	763 mg/kg bw/day
Conclusion:	

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 411
Species:	Mouse
Route of exposure:	Dermal
Target organ:	
Duration:	
Test:	NOAEL
Result:	440 mg/kg bw/day

Conclusion:

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 411
Species:	Mouse
Route of exposure:	Dermal
Target organ:	
Duration:	
Test:	NOAEL
Result:	1300 mg/kg bw/day
Conclusion:	

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	sodium hydroxide
Species:	Fish
Duration:	7 days
Test:	LC50
Result:	125 mg/l ·

Product/substance	sodium hydroxide
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	145 mg/l ·

Product/substance	sodium hydroxide
Species:	Crustacean
Duration:	15 min
Test:	EC50
Result:	22 mg/l ·

Product/substance	sodium hydroxide
Species:	Daphnia, Ceriodaphnia dubia
Duration:	48 hours
Test:	EC50
Result:	40,4 mg/L

Product/substance	dodecyldimethylamine oxide
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1,26 mg/L

Product/substance	dodecyldimethylamine oxide
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	2,9 mg/L

Product/substance	dodecyldimethylamine oxide

Species:	Algae
Duration:	28 days
Test:	NOEC
Result:	0,067 mg/L

Product/substance	dodecyldimethylamine oxide
Species:	Bacteria
Duration:	17 hours
Test:	EC10
Result:	24 mg/L

Product/substance	dodecyldimethylamine oxide
Species:	Fish
Duration:	No data available.
Test:	NOEC
Result:	0,42 mg/L

Product/substance	dodecyldimethylamine oxide
Species:	Daphnia
Duration:	21 days
Test:	NOEC
Result:	0,7 mg/L

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	> 100 mg/L

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	> 100 mg/L

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	96 hours
Test:	EC50
Result:	> 100 mg/L

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	OECD 209
Species:	Bacteria
Compartment:	Sewage treatment plant
Duration:	3 hours
Test:	EC10
Result:	> 1000 mg/L

Product/substance	sodium p-cumenesulphonate
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	> 100 mg/l ·

Product/substance	sodium p-cumenesulphonate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	> 100 mg/l ·

12.2. Persistence and degradability

Product/substance	dodecyldimethylamine oxide
Biodegradable:	Yes
Test method:	

Result:	80%

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	> 60%

Product/substance	sodium p-cumenesulphonate
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	> 60%

12.3. Bioaccumulative potential

Product/substance	sodium hydroxide
Test method:	
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

Product/substance	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)
Test method:	
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

Product/substance	sodium p-cumenesulphonate
Test method:	
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 15* Alkalines

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	Class: 8 Labels: 8 Classification code: C9 	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	Class: 8 Labels: 8 Classification code: C9 	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	Class: 8 Labels: 8 Classification code: C9 	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.
IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.
This product is within scope of the regulations of transport of dangerous goods.
Hazchem Code: 2X

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Tactile warning.
If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H400, Very toxic to aquatic life.
H411, Toxic to aquatic life with long lasting effects.
H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)
LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PROC28 = Manual maintenance (cleaning and repair) of machinery
PROC19 = Hand-mixing with intimate contact and only PPE available
PROC8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
PC35 = Washing and Cleaning Products (including solvent based products)
ERC8a = Wide dispersive indoor use of processing aids in open systems
ERC8d = Wide dispersive outdoor use of processing aids in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Rikke Hunskjær

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en