

SAFETY DATA SHEET

# Universal tøjvask

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name Universal tøjvask

Product no. 8383-1 Unique formula identifier (UFI)

MWNV-YDMA-V20Q-3QUQ

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

# Washing powder

Use descriptors (REACH)

Sectors of use	Description	
LCS "C"	Consumer uses: Private households (= general public = consumers)	
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)	
Product category	Description	
PC35	Washing and Cleaning Products (including solvent based products)	
Process category	Description	
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities	
PROC 19	Hand-mixing with intimate contact and only PPE available	
PROC 28	Manual maintenance (cleaning and repair) of machinery	
Environmental release category	Description	
ERC8a	Wide dispersive indoor use of processing aids in open systems	
ERC8b	Wide dispersive indoor use of reactive substances in open systems	

## Uses advised against

No special

## 1.3. Details of the supplier of the safety data sheet

Company and address

# **Jysk Kemi Service A/S** Gl. Struervej 50

7500 Holstebro Denmark +45 9740 3133 +45 9740 4846



```
www.jyskkemi.dk
   Contact person
      Rikke Hunskjær
   E-mail
      rikke@jyskkemi.dk
   Revision
      26-10-2021
   SDS Version
      1.0
1.4. Emergency telephone number
      Contact The National Poisons Information Service (dial 111, 24 h service).
      See section 4 "First aid measures".
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
    Eye Irrit. 2; H319, Causes serious eye irritation.
2.2. Label elements
   Hazard pictogram(s)
   Signal word
      Warning
   Hazard statement(s)
      Causes serious eye irritation. (H319)
   Safety statement(s)
      General
          If medical advice is needed, have product container or label at hand. (P101)
          Keep out of reach of children. (P102)
      Prevention
      Response
          IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
          do. Continue rinsing. (P305+P351+P338)
          If eye irritation persists: Get medical advice/attention. (P337+P313)
      Storage
      Disposal
   Hazardous substances
      No special
2.3. Other hazards
   Additional labelling
      Not applicable
   Additional warnings
      This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT
      and/or vPvB.
SECTION 3: Composition/information on ingredients
```



#### 3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Ethoxyleret alkohol C12-14	CAS No.: 68439-50-9	5-10%	Acute Tox. 4, H302 Eye Dam. 1, H318 (SCL: 10.00 %)	
	EC No.: 500-213-3		Aquatic Chronic 3, H412	
	REACH: 01-2119487984-16- XXXX			
	Index No.:			
methylcinnamat	CAS No.: 103-26-4	<0.01%	Skin Sens. 1B, H317	
	EC No.: 203-093-8			
	REACH: 01-2119979458-16			
	Index No.:			

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

#### No special

Labelling of contents according to Detergents Regulation (EC) No 648/2004

- 5% 15%
- · Non-ionic surfactants
- < 5%
- · Enzymes
- · Perfumes

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

## General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

# Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

# Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

# Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed



Sensitisation: This product contains substances, which may produce an allergic reaction through inhalation. The allergic reaction typically takes place within an hour after exposure. The reaction results in an inflammatory reaction to the lungs.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

# Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

# 5.1. Extinguishing media

# Not applicable

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements

# C 2. Environmental proposition

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

# 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container. Storage temperature



# > 0°C

# Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

propane-1,2-diol Long term exposure limit (8 hours) (ppm): 150(total) Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020)

## DNEL

Product/substance DNEL Route of exposure Duration	propane-1,2-diol 186 mg/m3 Inhalation Long term – Systemic effects - Workers
Product/substance	propane-1,2-diol
DNEL	50 mg/m3
Route of exposure	Inhalation
Duration	Long term – Systemic effects - General population
Product/substance	propane-1,2-diol
DNEL	10 mg/m3
Route of exposure	Inhalation
Duration	Long term – Local effects - General population
Duration Product/substance	
	Long term – Local effects - General population
Product/substance	Long term – Local effects - General population propane-1,2-diol

#### PNEC

No data available

# 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

## **Exposure** limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

## Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency



eyewash and -showers are clearly marked.

# Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

# Measures to avoid environmental exposure

## No specific requirements

Individual protection measures, such as personal protective equipment

Standards

#### Generally

Use only CE marked protective equipment. Respiratory Equipment

No specific requirements

# Skin protection

No specific requirements

### Hand protection

No specific requirements

# Eye protection

Туре

SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
   Physical state
      Liquid
   Colour
      Green
   Odour / Odour threshold
      Characteristic
   pН
      8,3
   Density (g/cm<sup>3</sup>)
      1.03
   Kinematic viscosity
      Testing not relevant or not possible due to nature of the product.
   Particle characteristics
      Not applicable - product is a liquid
Phase changes
   Melting point/Freezing point (°C)
      Not applicable - product is a liquid
   Softening point/range (waxes and pastes) (°C)
      Does not apply to liquids.
   Boiling point (°C)
      100.00 °C
   Vapour pressure
      Testing not relevant or not possible due to nature of the product.
   Relative vapour density
      Testing not relevant or not possible due to nature of the product.
   Decomposition temperature (°C)
      Testing not relevant or not possible due to nature of the product.
Data on fire and explosion hazards
   Flash point (°C)
```

Testing not relevant or not possible due to nature of the product.



Auto flammability (°C) Testing not relevant o Lower and upper explosio Testing not relevant o Solubility Solubility in water Soluble n-octanol/water coefficien Testing not relevant o Solubility in fat (g/L)	nr not possible due to nature of the product. nt nr not possible due to nature of the product. or not possible due to nature of the product.	
SECTION 10: Stability and rea	activity	
<ul> <li>10.3. Possibility of hazardous No special</li> <li>10.4. Conditions to avoid No special</li> <li>10.5. Incompatible materials Strong acids, strong b</li> <li>10.6. Hazardous decomposit</li> </ul>	s bases, strong oxidizing agents, and strong reducing agents.	
SECTION 11: Toxicological in	formation	
Acute toxicity	classes as defined in Regulation (EC) No 1272/2008	
Product/substance Test method	propane-1,2-diol	

Species	Rat
Route of exposure	Oral
Test	LD50
Result	22000 mg/kg ·
Other information	
Product/substance Test method	propane-1,2-diol
Species	Rabbit
Route of exposure	Inhalation
Test	LC50
Result	> 317 mg/l ·



#### Other information

Product/substance	propane-1,2-diol
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg ·
Other information	

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

# Respiratory sensitisation

Based on available data, the classification criteria are not met.

## Skin sensitisation

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

#### Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### Endocrine disrupting properties

No special Other information No special

## SECTION 12: Ecological information

# 12.1. Toxicity

propane-1,2-diol
Crustacean
18 hours
NOEC
20.000 mg/l ·



Other information	
Product/substance	propane-1,2-diol
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	43500 mg/l ·
Other information	
Product/substance	propane-1,2-diol
Test method	
Species	Fish
Compartment	
Duration	7 days
Test	LC50
Result	40613 mg/l ·
Other information	

# 12.2. Persistence and degradability

propane-1,2-diol
Yes
OECD 301 F
81,7%

# 12.3. Bioaccumulative potential

Product/substance	propane-1,2-diol
Test method	
Potential	No data available
bioaccumulation	
LogPow	No data available
BCF	0.09
Other information	

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. Endocrine disrupting properties

No special

# 12.7. Other adverse effects

No special

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Avoid discharge to lakes, streams, sewers, etc. Dispose of contents/container to an approved waste disposal plant.



Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

Not applicable

Specific labelling

Not applicable

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

#### 14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

# IMDG

Not applicable

MARINE POLLUTANT

# No

IATA

- Not applicable
- 14.5. Environmental hazards
  - Not applicable
- 14.6. Special precautions for user
  - Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments No data available

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application No special

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

# Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents. Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

# 15.2. Chemical safety assessment

No

SECTION 16: Other information

# Full text of H-phrases as mentioned in section 3 H302, Harmful if swallowed.



H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H412, Harmful to aquatic life with long lasting effects. The full text of identified uses as mentioned in section 1 LCS "C" = Consumer uses: Private households (= general public = consumers) LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities PROC 19 = Hand-mixing with intimate contact and only PPE available PROC 28 = Manual maintenance (cleaning and repair) of machinery PC35 = Washing and Cleaning Products (including solvent based products) ERC8a = Wide dispersive indoor use of processing aids in open systems ERC8b = Wide dispersive indoor use of reactive substances in open systems Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit. SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation



methods given by Regulation (EC) No. 1272/2008 (CLP) The safety data sheet is validated by

RH Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en