


## TECHNICAL SHEET

<b>Reference</b>	CGxx/xxx
<b>Trade Name:</b>	ENFit Infant short term Feeding Tube Polyurethane
<b>Product Description</b>	ENFit Infant short term Feeding Tube Polyurethane, available from 4FR to 14FR
<b>Intended Use</b>	The device must be used exclusively by healthcare professionals, or suitably trained personnel. The Short Term Tubes (CG) are mainly used in neonates and paediatrics but can be used with adults who need short term enteral support.
<b>Raw Materials:</b>	Tube: Polyurethane and barium sulfate Connector: ABS Strap: Polyethylene Cap : Polypropylene



<b>Packaging</b>	Primary: Pouch (Tyvek/TPE Film) Secondary: Box (Cardboard) Tertiary: Carton (Cardboard)
------------------	---

<b>Product Range</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Product Code</th> <th>Outer Diameter</th> <th>Inner Diameter</th> <th>Length of Tube</th> </tr> </thead> <tbody> <tr><td>CG4/40 *</td><td>1.38</td><td>0.6</td><td>400(+10/-2)</td></tr> <tr><td>CG4/50</td><td>1.38</td><td>0.6</td><td>500(+10/-2)</td></tr> <tr><td>CG4/50W *</td><td>1.38</td><td>0.6</td><td>500(+10/-2)</td></tr> <tr><td>CG4/80 *</td><td>1.38</td><td>0.6</td><td>810(+10/-2)</td></tr> <tr><td>CG4/90 *</td><td>1.38</td><td>0.6</td><td>910(+10/-2)</td></tr> <tr><td>CG5/40</td><td>1.7</td><td>0.9</td><td>400(+10/-2)</td></tr> <tr><td>CG5/50</td><td>1.7</td><td>0.9</td><td>500(+10/-2)</td></tr> <tr><td>CG5/80</td><td>1.7</td><td>0.9</td><td>810(+10/-2)</td></tr> <tr><td>CG6/40 *</td><td>2</td><td>1.3</td><td>400(+10/-2)</td></tr> <tr><td>CG6/50</td><td>2</td><td>1.3</td><td>500(+10/-2)</td></tr> <tr><td>CG6/50W *</td><td>2</td><td>1.3</td><td>500(+10/-2)</td></tr> <tr><td>CG6/80</td><td>2</td><td>1.3</td><td>810(+10/-2)</td></tr> <tr><td>CG6/80W *</td><td>2</td><td>1.3</td><td>810(+10/-2)</td></tr> <tr><td>CG6/100 *</td><td>2</td><td>1.3</td><td>1100(+10/-2)</td></tr> <tr><td>CG6/120</td><td>2</td><td>1.3</td><td>1210(+10/-2)</td></tr> <tr><td>CG8/40 *</td><td>2.7</td><td>1.5</td><td>400(+10/-2)</td></tr> <tr><td>CG8/50</td><td>2.7</td><td>1.5</td><td>500(+10/-2)</td></tr> <tr><td>CG8/80</td><td>2.7</td><td>1.5</td><td>810(+10/-2)</td></tr> <tr><td>CG8/80W *</td><td>2.7</td><td>1.5</td><td>810(+10/-2)</td></tr> <tr><td>CG8/120</td><td>2.7</td><td>1.5</td><td>1210(+10/-2)</td></tr> <tr><td>CG10/80 *</td><td>3.3</td><td>2.15</td><td>810(+10/-2)</td></tr> <tr><td>CG10/80W *</td><td>3.3</td><td>2.15</td><td>810(+10/-2)</td></tr> <tr><td>CG10/120 *</td><td>3.3</td><td>2.15</td><td>1210(+10/-2)</td></tr> <tr><td>CG12/80 *</td><td>4</td><td>2.8</td><td>810(+10/-2)</td></tr> <tr><td>CG12/80W *</td><td>4</td><td>2.8</td><td>810(+10/-2)</td></tr> <tr><td>CG12/120 *</td><td>4</td><td>2.8</td><td>1210(+10/-2)</td></tr> <tr><td>CG14/80 *</td><td>4.7</td><td>3.2</td><td>810(+10/-2)</td></tr> </tbody> </table> <p>*=skaffevare</p>	Product Code	Outer Diameter	Inner Diameter	Length of Tube	CG4/40 *	1.38	0.6	400(+10/-2)	CG4/50	1.38	0.6	500(+10/-2)	CG4/50W *	1.38	0.6	500(+10/-2)	CG4/80 *	1.38	0.6	810(+10/-2)	CG4/90 *	1.38	0.6	910(+10/-2)	CG5/40	1.7	0.9	400(+10/-2)	CG5/50	1.7	0.9	500(+10/-2)	CG5/80	1.7	0.9	810(+10/-2)	CG6/40 *	2	1.3	400(+10/-2)	CG6/50	2	1.3	500(+10/-2)	CG6/50W *	2	1.3	500(+10/-2)	CG6/80	2	1.3	810(+10/-2)	CG6/80W *	2	1.3	810(+10/-2)	CG6/100 *	2	1.3	1100(+10/-2)	CG6/120	2	1.3	1210(+10/-2)	CG8/40 *	2.7	1.5	400(+10/-2)	CG8/50	2.7	1.5	500(+10/-2)	CG8/80	2.7	1.5	810(+10/-2)	CG8/80W *	2.7	1.5	810(+10/-2)	CG8/120	2.7	1.5	1210(+10/-2)	CG10/80 *	3.3	2.15	810(+10/-2)	CG10/80W *	3.3	2.15	810(+10/-2)	CG10/120 *	3.3	2.15	1210(+10/-2)	CG12/80 *	4	2.8	810(+10/-2)	CG12/80W *	4	2.8	810(+10/-2)	CG12/120 *	4	2.8	1210(+10/-2)	CG14/80 *	4.7	3.2	810(+10/-2)
Product Code	Outer Diameter	Inner Diameter	Length of Tube																																																																																																														
CG4/40 *	1.38	0.6	400(+10/-2)																																																																																																														
CG4/50	1.38	0.6	500(+10/-2)																																																																																																														
CG4/50W *	1.38	0.6	500(+10/-2)																																																																																																														
CG4/80 *	1.38	0.6	810(+10/-2)																																																																																																														
CG4/90 *	1.38	0.6	910(+10/-2)																																																																																																														
CG5/40	1.7	0.9	400(+10/-2)																																																																																																														
CG5/50	1.7	0.9	500(+10/-2)																																																																																																														
CG5/80	1.7	0.9	810(+10/-2)																																																																																																														
CG6/40 *	2	1.3	400(+10/-2)																																																																																																														
CG6/50	2	1.3	500(+10/-2)																																																																																																														
CG6/50W *	2	1.3	500(+10/-2)																																																																																																														
CG6/80	2	1.3	810(+10/-2)																																																																																																														
CG6/80W *	2	1.3	810(+10/-2)																																																																																																														
CG6/100 *	2	1.3	1100(+10/-2)																																																																																																														
CG6/120	2	1.3	1210(+10/-2)																																																																																																														
CG8/40 *	2.7	1.5	400(+10/-2)																																																																																																														
CG8/50	2.7	1.5	500(+10/-2)																																																																																																														
CG8/80	2.7	1.5	810(+10/-2)																																																																																																														
CG8/80W *	2.7	1.5	810(+10/-2)																																																																																																														
CG8/120	2.7	1.5	1210(+10/-2)																																																																																																														
CG10/80 *	3.3	2.15	810(+10/-2)																																																																																																														
CG10/80W *	3.3	2.15	810(+10/-2)																																																																																																														
CG10/120 *	3.3	2.15	1210(+10/-2)																																																																																																														
CG12/80 *	4	2.8	810(+10/-2)																																																																																																														
CG12/80W *	4	2.8	810(+10/-2)																																																																																																														
CG12/120 *	4	2.8	1210(+10/-2)																																																																																																														
CG14/80 *	4.7	3.2	810(+10/-2)																																																																																																														

<b>Shelf Life:</b>	5 years from the date of sterilisation	
<b>Usage</b>	Single use device – no re-use allowed	
<b>Sterilisation</b>	EtO Sterilisation of the CG tubes is undertaken in accordance with the requirements of the current regulations	
	Device should not be re-sterilised	
<b>Storage</b>	Min 5°C to Max 35°C – 80% RH	
<b>Disposal</b>	The user must follow the legal regulations regarding disposal of hospital waste.	
<b>Product inclusions</b>	<b>Latex</b>	This product is free from Latex
	<b>Phthalates</b>	This product is free from Phthalates
	<b>Animal Derived Substances</b>	This product is free from Animal Derived Substances
	<b>Bis Phenol A</b>	This product is free from Bis Phenol A
	<b>Asbestos</b>	This product is free from Asbestos
	<b>PCB's</b>	This product is free from PCB's
<b>Manufacturer</b>	Medicina Ltd Units 1-4 Rivington View business park Station Road, Blackrod Bolton BL6 5BN United Kingdom	
<b>Classification</b>	Class IIa	
<b>Conformity Assessment Route:</b>	In accordance with Annex IX of the MDD 93/42/EEC Rule 5	
<b>Notified Body</b>	SGS UK Ltd. (CE 0120)	
<b>Certificate Ref</b>	GB12/84913	