


HSS-PM HSS-PM Line

Serie/Series 17350

Frese a **FINIRE** con tagliente al centro
Finishing end mills center cutting

17355

Frese a **FINIRE** con tagliente al centro
Finishing end mills center cutting




COATING Skin	λ° s 32	N	UNI 8244 DIN 844A ISO 1641/I
------------------------	---------------------------	---	------------------------------------



Cod. Art.	X-85 (PM Co 8,5%)	COATED	D +0,05 +0,03	I	L	MORSE TAPER	Z
173501000	CM	CMX	10	22	92	1	4
173501200	CM	CMX	12	26	96	1	4
173501400	CM	CMX	14	26	111	2	4
173501500	CM	CMX	15	32	117	2	4
173501600	CM	CMX	16	32	117	2	4
173501800	CM	CMX	18	32	117	2	4
173502000	CM	CMX	20	38	140	3	4
173502200	CM	CMX	22	38	140	3	4
173502400	CM	CMX	24	45	147	3	5
173502500	CM	CMX	25	45	147	3	5
173502600	CM	CMX	26	45	147	3	5
173502800	CM	CMX	28	45	147	3	5
173503000	CM	CMX	30	53	155	3	6
173503200	CM	CMX	32	53	178	4	6
173503400	CM	CMX	34	53	178	4	6
173503500	CM	CMX	35	53	178	4	6
173503600	CM	CMX	36	53	178	4	6
173503800	CM	CMX	38	63	188	4	6
173504000	CM	CMX	40	63	188	4	8
173504500	CM	CMX	45	63	188	4	8
173505000	CM	CMX	50	75	200	4	8
173505001	CM	CMX	50	75	233	5	8



Z4÷8



Z4÷8



COATING Skin	λ° s 32	N	UNI 8250 DIN 845B ISO 1641/II
------------------------	---------------------------	---	-------------------------------------

Cod. Art.	X-85 (PM Co 8,5%)	COATED	D +0,05 +0,03	I	L	MORSE TAPER	Z
173551000	CM	CMX	10	45	115	1	4
173551200	CM	CMX	12	53	123	1	4
173551400	CM	CMX	14	53	138	2	4
173551500	CM	CMX	15	63	148	2	4
173551600	CM	CMX	16	63	148	2	4
173551800	CM	CMX	18	63	148	2	4
173552000	CM	CMX	20	75	177	3	4
173552200	CM	CMX	22	75	177	3	4
173552400	CM	CMX	24	90	192	3	5
173552500	CM	CMX	25	90	192	3	5
173552600	CM	CMX	26	90	192	3	5
173552800	CM	CMX	28	90	192	3	5
173553000	CM	CMX	30	90	192	3	6
173553200	CM	CMX	32	106	231	4	6
173553400	CM	CMX	34	106	231	4	6
173553500	CM	CMX	35	106	231	4	6
173553600	CM	CMX	36	106	231	4	6
173553800	CM	CMX	38	125	250	4	6
173554000	CM	CMX	40	125	250	4	8
173554500	CM	CMX	45	125	250	4	8
173555000	CM	CMX	50	150	308	5	8



MATERIALI LAVORABILI / WORKPIECE MATERIALS

serie	TITANIO TITANIUM	HRSA HRSA	ACCIAI INOSSIDABILI STAINLESS STEELS	MATERIALI NON FERROSI NON FERROUS MATERIALS	LEGHE LEGGERE LIGHT ALLOYS	ACCIAI STEELS	GHISE CAST IRON
17350	○	○	●	○	○	●	●
17355	○	○	●	○	○	●	●

● consigliata/recommended ● accettabile/acceptable ○ non consigliata/not recommended